

# **POLARIS**





MODELS, PARTS, GARMENTS & ACCESSORIES

2024



### **P#LARIS** CHOOSE YOUR RZR MODEL 04 FEATURES 07 **VEHICLE SPECIFICATIONS** 09 10 RZR PRO R, TURBO R & PRO XP ACCESSORIES 10 AUDIO 12 WINDSHIELDS & REAR PANELS ROOFS, DOORS & HEATER **VEHICLE PROTECTION** 18 LIGHTING STORAGE MISC, MIRRORS & WINCHES 25 RZR XP ACCESSORIES 26 AUDIO WINDSHIELDS & REAR PANELS ROOFS, DOORS & HEATER 32 **VEHICLE PROTECTION** LIGHTING 34 STORAGE MIRRORS & WINCHES 38 2014-2023 XP 1000, XP TURBO & TURBO SE 44 RZR TRAIL & TRAIL S ACCESSORIES 45 WINDSHIELDS & REAR PANELS ROOFS, DOORS & AUDIO 48 VEHICLE PROTECTION & STORAGE 50 WINCHES, HEATER & PLOWS LIGHTING, ELECTRICAL & TRACKS 52 53 **COMMON ACCESSORIES** 53 LIGHTING 56 PRO ARMOR WHEELS & TYRES 72 **COCKPIT ACCESSORIES & MIRRORS** 74 **WINCHES** ADDITIONAL ACCESSORIES

3



# TRAIL .....



RZR TRAIL SPORT - 50"



RZR TRAIL S 1000 PREMIUM - 60"

# **MULTI-TERRAIN**



RZR XP SPORT - 64"





RZR XP 1000 PREMIUM - 64" RZR XP 4 1000 PREMIUM - 64"



RZR PRO XP SPORT - 64"



RZR PRO XP ULTIMATE - 64"



RZR PRO XP 4 SPORT - 64"



RZR PRO XP 4 ULTIMATE - 64"

# WIDE OPEN



RZR TURBO R ULTIMATE - 74"



RZR PRO R ULTIMATE - 74"



RZR PRO R 4 PREMIUM - 74"





# **FEATURES**



#### **RZR TRAIL SPORT - 50"**

#### TRAIL SPORT TRIM INCLUDES:

- 75 Horsepower
- Steel Rims
- · ZF Twin Tube Shocks
- Full Doors
- LED Lights
- 3 Position Polaris Pulse Bar

# RZR TRAIL S 1000 PREMIUM - 60"

## TRAIL S PREMIUM TRIM ALSO INCLUDES:

- 100 Horsepower
- FOX 2.0 Podium Shocks
- 27" Trailmaster Tyres



#### **COMMON SPECS**



4-WHEEL HYDRAULIC DISC WITH TRIPLE-BORE FRONT AND DUAL-BORE REAR CALIPERS



TRUE ON-DEMAND AWD



ELECTRONIC POWER STEERING

#### RZR XP SPORT - 64"



#### XP SPORT TRIM INCLUDES:

- 29" Trailmaster X/T Tyres
- Walker Evans Racing Needle Shocks
- 3-pt Harness
- Front Bumper, Full Skid Plate & Full Doors
- 6-Position Accessory Pulse Bar
- LED Head Lights

#### RZR XP 1000 PREMIUM - 64"



#### PREMIUM TRIM ALSO INCLUDES:

- Rockford Fosgate® Stage 1 Audio with PMX Controller
- 30" Trailmaster X/T 2.0
- Poly Sport Roof
- 4-pt Harness
- Premium Paint & Graphics

### **COMMON SPECS**



HIGH PERFORMANCE TRUE ON-DEMAND AWD



ELECTRONIC POWER STEERING



IRS WITH 45.7CM OF TRAVEL



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT CALIPERS AND SINGLE-BORE REAR CALIPERS

#### RZR PRO XP SPORT - 64"

#### SPORT TRIM INCLUDES:

- Walker Evans Needle Shocks
- 30" Maxxis Carnivore Tyres
- Vented Full Doors
- Retractable 3-pt Harness



#### RZR PRO XP ULTIMATE - 64"

#### **ULTIMATE TRIM ALSO INCLUDES:**

- Fox 2.5 Podium Live Valve Shocks
- Rockford Fosgate
   Stage 2 Audio
- Retractable 6-Pt Harness



#### **COMMON SPECS**









ELECTRONIC POWER STEERING



4-WHEEL HYDRAULIC DISC WITH TRIPLE-BORE FRONT AND DUAL-BORE REAR CAI IPERS

#### RZR TURBO R ULTIMATE- 74"



#### TURBO R TRIM INCLUDES:

- •181 Horsepower
- 4-Stroke DOHC Twin Cylinder Turbocharged
- FOX® 3.0 Live Valve X2 Internal Bypass Shocks
- Rockford Fosgate® Stage 2 Audio
- Retractable 6-PT Harness

#### RZR PRO R ULTIMATE - 74"



#### PRO R ULTIMATE TRIM INCLUDES:

- 225 Horsepower
- Fox X2 Live Valve 3" Shocks
- Rockford Fosgate® Premium Audio

#### **COMMON SPECS**



32" MAXXIS RAMPAGE FURY TYRES



PRO PERFORMANCE TRUE 4WD



ELECTRONIC POWER STEERING



4-WHEEL HYDRAULIC DISC WITH TRIPLE-BORE FRONT AND DUAL-BORE REAR CALIPERS; ALUMINUM TOP HAT ROTOR



# LEGENDARY PERFORMANCE











**RZR TRAIL SPORT 50"** 

RZR TRAIL S 1000 PREMIUM - 60"

RZR XP SPORT 64"

RZR XP 1000 PREMIUM 64"

RZR XP 4 1000 PREMIUM 64"

	NZN THAIL STORT 30	PREMIUM - 60"	HZH XI 3I OHI 04	NZN XI 1000 I NEIWIOW 04	NZN XI 4 1000 I NEIVIIOW 04
HORSEPOWER	75 HP	100 HP	114 HP	114 HP	114 HP
DISPLACEMENT	875cc	999cc	999cc	999cc	999cc
DRIVE SYSTEM	True On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance True On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD
ENGINE BRAKING SYSTEM / ACTIVE DESCENT CONTROL	Yes / Not Equipped	Yes / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped
FRONT SUSPENSION	Dual A-Arm with Stabilizer Bar 25.4 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 31.1 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel, 40.6 cm of Wheel Travel	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel, 40.6 cm of Wheel Travel	Dual A-Arm with Stabilizer Bar and 52.07 cm *Usable Travel, 40.6 cm of Wheel Travel
REAR SUSPENSION	Dual A-Arm with Stabilizer Bar and 25.4 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 33.5 cm Wheel Travel	Trailing Arm with Stabilizer Bar and 50.8 cm Usable Travel, 45.7 cm of Wheel Travel	Trailing Arm with Stabilizer Bar and 50.8 cm Usable Travel, 45.7 cm of Wheel Travel	Trailing Arm with Stabilizer Bar and 52.07 cm Usable Travel*, 45.7 cm of Wheel Travel
DYNAMIX ACTIVE SUSPENSION	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped
SHOCKS	ZF Twin Tube	FOX® 2.0 PODIUM X	2.5" Walker Evans® Needle Shocks with 16-Position Adjustable Clickers	2.5" Walker Evans® Needle Shocks with 16-Position Adjustable Clickers	2.5" Walker Evans® Needle Shocks with 16-Position Adjustable Clickers
WHEELBASE	201 cm	200.7 cm	228.6 cm	228.6 cm	297.2 cm
TYRES	26" PXT	27" Trailmaster A/T	29" Trail Master X/T	30" Trail Master X/T 2.0	30" Trail Master X/T 2.0
DRY WEIGHT	561.5 kg	600 kg	714 kg	742.5 kg	860 kg
OVERALL VEHICLE SIZE (L X W X H)	282 x 127 x 172.5 cm	282 x 152.4 x 176 cm	303.5 x 162.6 x 180.6 cm	304.8 x 162.6 x 188 cm	375.4 x 162.6 x 190.5 cm
GROUND CLEARANCE	27.9 cm	31.8 cm	35.6 cm	36.8 cm	36.8 cm
SEATING CAPACITY	2	2	2	2	4
FUEL CAPACITY	35.9 L	35.9 L	36 L	36 L	36 L
FRONT/REAR RACK OR BOX CAPACITY	N.A / 138 kg	N.A / 136 kg	N.A / 136 kg	N.A / 136 kg	136 kg
PAYLOAD CAPACITY	335.7 kg	336 kg	336 kg	336 kg	408 kg
HITCH TOWING RATING	680 kg	680 kg	Not Equipped	Not Equipped	N/A
ELECTRONIC POWER STEERING	Not Equipped	Yes	Standard with Quick Turn Rack	Standard with Quick Turn Rack	Standard with Quick Turn Rack



# REVOLUTIONARY POWER. INCREDIBLE STRENGTH.

















	RZR PRO XP SPORT 64"	RZR PRO XP ULTIMATE 64"	RZR TURBO R ULTIMATE - 74"	RZR PRO R ULTIMATE 74"	RZR PRO R 4 PREMIUM 74"	RZR PRO XP 4 SPORT - 64"	RZR PRO XP 4 ULTIMATE - 64"
HORSEPOWER	181 HP	181 HP	181 HP	225 HP	114 HP	181 HP	181 HP
DISPLACEMENT	925cc	925cc	925cc	1997cc	999сс	925cc	925cc
DRIVE SYSTEM	Isolated Xtreme Performance True On- Demand AWD/2WD	Isolated Xtreme Performance True On- Demand AWD/2WD	Isolated Xtreme Performance True On- Demand AWD/2WD	Pro Performance True 2WD/4WD/4WD Lock	High Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On- Demand AWD/2WD	Isolated Xtreme Performance True On- Demand AWD/2WD
ENGINE BRAKING SYSTEM / ACTIVE DESCENT CONTROL	Not Equipped / Not Equipped	Not Equipped/ Not Equipped	Not Equipped/ Not Equipped	Not Equipped/ Not Equipped	Not Equipped / Not Equipped	Not Equipped/ Not Equipped	Not Equipped / Not Equipped
FRONT SUSPENSION	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm *Usable Travel, 43.2 cm Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm *Usable Travel, 43.2 cm Wheel Travel	Light Weight Boxed Dual A-Arm with 3 Piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm *Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	Dual A-Arm with Stabilizer Bar and 52.07 cm *Usable Travel, 40.6 cm of Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm *Usable Travel, 43.2 cm Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel
REAR SUSPENSION	Trailing Arm & Stan- dard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm *Usable Travel, 50.8 cm Wheel Travel	Trailing Arm & Standard- Clearance Radius Rods with Stabilizer Bar and 55.9 cm *Usable Travel, 50.8 cm Wheel Travel	Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9 cm Wheel Travel, Unitized Hubs	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 Piece Stabilizer Bar and 73.7 cm *Usable Travel, 62.2 cm Wheel Travel, Unitized Hubs	Trailing Arm with Stabilizer Bar and 52.07 cm Usable Travel*, 45.7 cm of Wheel Travel	Trailing Arm & Standard- Clearance Radius Rods with Stabilizer Bar and 55.9 cm *Usable Travel, 50.8 cm Wheel Travel	Trailing Arm & Standard- Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel
DYNAMIX ACTIVE SUSPENSION	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped
SHOCKS	2.5 in Walker Evans Needle Shocks with 16-Position Adjustable Clickers	FOX 2.5 Podium Live Valve with Bottom-Out Control (Electronically Controlled Damping)	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)	Walker Evans® 3.0" Velocity Needle Shock with 16-Position Adjustable Clickers	2.5 in Walker Evans Needle Shocks with 16-Position Adjustable Clickers	FOX 2.5 Podium Shocks with Live Valve (Electronically Controlled Damping)
WHEELBASE	244 cm	244 cm	244 cm	265.4cm	297.2 cm	317.5 cm	317.5 cm
TYRES	30 MAXXIS Carnivore"	30" Maxxis Carnivore (8-Ply Rated)	32″ Maxxis Rampage Fury (8-Ply Rated)	32″ Maxxis Rampage Fury (8-Ply Rated)	30" Trail Master X/T 2.0	30 x 10-14 Maxxis Carnivore II; (8-Ply Rated)	30 x 10-14 Maxxis Carnivore II; (8-ply rated)
DRY WEIGHT	798 kg	814 kg	913 kg	992 kg	860 kg	916 kg	937 kg
OVERALL VEHICLE SIZE (L X W X H)	320 x 162.6 x 182.1 cm	320 x 163 x 182 cm	325 x 188 x 189 cm	347 x 188 x 185 cm	375.4 x 162.6 x 190.5 cm	393.7 x 162.6 x 186.9 cm	393.7 x 162.6 x 186.9 cm
GROUND CLEARANCE	36.8 cm	36.8 cm	40.6 cm	40.6 cm	36.8 cm	36.8 cm	36.8 cm
SEATING CAPACITY	2	2	2	2	4	4	4
FUEL CAPACITY	45.4 L	45.4 L	45.4 L	45.4 L	36 L	49.2 L	49.2 L
FRONT/REAR RACK OR BOX CAPACITY	N.A / 136 kg	N.A / 136 kg	N.A / 136 kg	N.A / 136 kg	N.A / 136 kg	N.A / 136 kg	N.A / 136 kg
PAYLOAD CAPACITY	336 kg	336 kg	336 kg	335.6 kg	408 kg	408 kg	408 kg
HITCH TOWING RATING	N.A	N.A	N.A	N.A	N.A	N.A	N.A
ELECTRONIC POWER Steering	High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel	High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX and RIDE COMMAND Push Button Controls	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and RIDE COMMAND Push Button Controls	Standard with Quick Turn Rack	High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel	High Assist Electronic Power Steering with Ouick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping adjustment; Dynamix and Ride Command Push Button Controls

STORAGE

# > AUDIO



# pockford fosqate.

Rockford Fosgate partnered with Polaris to create the next evolution of factory-installed off-road audio. Purpose-built to stand up to any outdoor environment and designed to perform no matter the ride. Specifically tuned and rider-centric to create an audio experience that is second to none.








NO LOSS OF CARGO SPACE



BLUET00TH



#### **SOURCE UNITS**

- Designed specifically for the Pro platform
- Tuned to combat wind and motor noise, delivering an incredible sound no matter the speed
- Element ready design guards against dust and moisture intrusion

#### **AMPLIFIERS**

- Ultra Compact CLEAN technology
- Highly efficient design capable of being pushed hard without overheating

#### **SPEAKERS**

- Off-road Optimized Element Ready speakers thrive in any outdoor environment
- Specifically tuned enclosures create rich cockpit sound
- Rugged, yet lightweight, materials that don't sacrifice speed for sound

#### **SUBWOOFERS**

- High-power, high-excursion subwoofer that acoustically couples with the cockpit for perfect bass response
- Torture tested to ensure long life and performance



# A. 7" DISPLAY POWERED BY RIDE COMMAND\*

#### » 2884072

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24 STANDARD ON PREMIUM/ULTIMATE MODELS

Requires Mount Kit 2884584

Requires Mount Kit 2884584

SEE P. 94 FOR FULL RIDE COMMAND DETAILS



#### B. PMX-P2 HEAD UNIT

- 6.86 cm full color display
- AM/FM/WB tuner & Pandora control
   Bluetooth connectivity
- Bluetooth connectivi
- Includes mount kit

#### » 2884256

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

NOT COMPATIBLE WITH PREMIUM/ULTIMATE MODELS



### C. STAGE 2 TOP SELLER

FULL RANGE AMPLIFIER AND FRONT UNDER-DASH SPEAKERS

- 400 watt full range amplifier
- 50 watt 16.51 cm component speakers including tweeters with enclosures
- » 2883943

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24 STANDARD ON PREMIUM/ULTIMATE MODELS Harness (24/15467) required with PMX-P2 Head Unit on Sonort models



#### D. STAGE 3

25.4 cm POWERED SUBWOOFER UPGRADE

- 400 watt 25.4 cm subwoofer with enclosure and grille
- 400 watt integrated subwoofer amplifier
- » 2883857

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24



#### E. STAGE 4

25.4 cm POWERED SUBWOOFER WITH REAR COAXIAL SPEAKER UPGRADE

- 400 watt 25.4 cm subwoofer with enclosure and grille
- 400 watt integrated subwoofer amplifier
- **50 watt** 16.51 cm coaxial speakers with enclosures and grilles
- » 2884655

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

#### F. STAGE 5

30 cm POWERED SUBWOOFER WITH FULL SYSTEM SPEAKER UPGRADE

- 400 watt 30 cm subwoofer with enclosure and grille
- 400 watt integrated subwoofer amplifier
- 100 watt 16.51 cm coaxial speakers with enclosures and stainless steel grilles
- 100 watt 16.51 cm front component replacement speakers
- High output tweeters with stainless steel grilles
- 2x more power and sound delivery over the stock system

#### » 2889463

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24 COMPATIBLE WITH PREMIUM/ULTIMATE MODELS ONLY. Premium models require 2884904, sold separately.

Not compatible with Rear Pods (2883945). Subwoofer addition eliminates glove box storage



#### G. REAR PODS

USE WITH STAGE 2, STAGE 3 OR STAGE 4

- 50 watt 16.51 cm coaxial speakers with can-enclosures, mounting hardware and grilles
- » 2883945

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

Not compatible with Rockford Fosgate<sup>o</sup> Ultimate LE models or Stage 5 Audio Upgrade (2889463)

STORAGE

# **BUILD YOUR SOUND**

(CHOOSE THE PATH THAT MATCHES YOUR RZR)

#### **FACTORY-INSTALLED**

#### **SKIP TO STEP 3**



#### PRO R. TURBO R & PRO XP **PREMIUM**

2-SEAT

PMX-P2

STAGE 1

4-SEAT PMX-P2

STAGE 1& **REAR SPEAKERS** 



#### PRO R, TURBO R & PRO XP ULTIMATE

2-SEAT

RIDE COMMAND

STAGE 2

4-SEAT

**RIDE COMMAND** 

STAGE 2 & REAR SPEAKERS

#### **NO FACTORY AUDIO**

#### STEP 1

#### **SELECT HEAD UNIT**

#### PMX-P2 **HEAD UNIT**

2884256

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

> NOT COMPATIBLE WITH ULTIMATE MODELS

Mount kit included

#### OR

7" DISPLAY WITH RIDE COMMAND\*

2884072

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

> MOUNT KIT REQUIRED 2884584

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

SEE P. 94 FOR FULL RIDE COMMAND DETAILS

### STEP 2

### **ADD AUDIO KIT**

#### STAGE 2

FULL RANGE AMPLIFIER AND FRONT UNDER-DASH SPEAKERS 2883943

PRO R/4 '22-24 TURRO R/4 '22-24 PRO YP/4 '20-24 STANDARD ON ULTIMATE MODELS

Harness (2415467) required with PMX-P2 Head Unit on Sport models

### STEP 3

#### **UPGRADE AUDIO**

#### PRO R, TURBO R & PRO XP **PREMIUM**

#### **AMP UPGRADE KIT**

2884908

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24 PREMIUM MODELS ONLY

REQUIRED FOR ANY PREMIUM UPGRADE TO STAGE 3-5

#### **STAGE 3**

25.4 CM POWERED SUBWOOFER UPGRADE 2883857

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

NOT COMPATIBLE WITH STAGE 4

#### **STAGE 4**

25.4 CM POWERED SUBWOOFER WITH REAR COAXIAL SPEAKER UPGRADE

#### 2884655

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

#### NOT COMPATIBLE WITH STAGE 3

ALL 4-SEAT MODELS WITH FACTORY AUDIO

## **STAGE 5**

30 CM POWERED SUBWOOFER WITH FULL SYSTEM SPEAKER UPGRADE

#### 2889463

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24 PREMIUM/ULTIMATE MODELS ONLY

NOT COMPATIBLE WITH REAR PODS (2883945), STAGE 3 OR STAGE 4

+ / OR

#### **REAR PODS**

2883945

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24 Not compatible with Rockford Fosgate Ultimate LE Models, Stage 5 Audio Upgrade (2889463) ADD TO STAGES 2-4

\*Due to ongoing supply chain issues, there may be delayed or limited availability of this product as an accessory add-on.



#### **AUDIO ROOF**

20 CM SPEAKERS, 25.4 CM SUBWOOFER. 83.8 CM PRO ARMOR LIGHT BAR

- 25.4 cm subwoofer
- 83.8 cm Pro Armor Single-Row Light
- RGB accent lights

#### PMX-P2 (Head unit included)

- » <u>2-S</u>EAT 2889710 TURBO R '22-24, PRO XP '20-24
- » 4-SEAT 2889708 TURBO R 4 '22-24, PRO XP 4 '20-24 Secondary Battery Kit required (2884347/2884391), sold separately



#### **VEHICLE-INTEGRATED AUDIO**

- » 2-SEAT 2889711 TURBO R '22-24, PRO XP '20-24
- » 4-SEAT 2889709 TURBO R 4 '22-24, PRO XP 4 '20-24 Secondary Battery Kit required (2884347/2884391), sold separately



### ADD COMFORT AND STYLE WITH END-TO-END PROTECTION



Shield from harsh elements while adding style.



#### TURBO R PRO XP

#### **RECOMMENDED 2-SEAT CAB**

2889019 • Full Vented Windshield - Glass 2890145 • Glass Windshield Wiper Kit 2883757 • Poly Rear Panel 2883928 • Poly Sport Roof 2884664 • Upper Doors 2884658 • Front Door Inner Closeoff Panels

Available on 2-Seat and 4-Seat vehicles.

#### TURBO R PRO XP

#### **RECOMMENDED 4-SEAT CAB**

2884305 • Full Vented Windshield - Hard Coat Poly 2884147 • Poly Rear Panel 2883990-458 • Aluminum Roof 2884660-458 • Aluminum Doors 2884665 • Upper Doors

Available on 2-Seat and 4-Seat vehicles.





#### **POLARIS ENGINEERED ADVANTAGES**

#### GASKETED SEAL

Keeps drafts and moisture out. Reduces ride chatter on full glass windshields.

# **WINDSHIELDS**

#### **GLASS**



#### **FULL VENTED** WINDSHIELD - GLASS TOP SELLER

- · Double-layer, laminated and tempered glass windshield with steel, powder-coated frame and adjustable center vent
- » TURBO R PRO XP 2889019 TURB0 R/4 '22-24, PR0 XP/4 '20-24

Not compatible with Light Pocket Aluminum Roof (2883961, 2883991)

» PRO R 2-SEAT • 2884350 PRO R '22-24

PRO R 4-SEAT • 2884823

PRO R 4 '22-24



#### **GLASS WINDSHIELD WIPER KIT**

- · Simple to control with a multi-speed, dash-mounted switch
- Includes a washer fluid reservoir
- » 2890145

GL ASS

TURB0 R/4 '22-24, PR0 XP/4 '20-24 Compatible with glass windshield only

#### HARD COAT POLY



#### 尽紧紧

#### FULL VENTED WINDSHIELD -HARD COAT POLY

- Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate
- · Full protection with airflow vents that quickly open for cockpit ventilation
- » TURBO R PRO XP 2884305

TURB0 R/4 '22-24, PR0 XP/4 '20-24 Compatible with Aluminum Roof only (2883961, 2883743, 2883991, 2883990)

» TURBO R PRO XP 2883756 TURB0 R/4 '22-24, PR0 XP/4 '20-24 Compatible with Poly Sport Roof only (2883928, 2883946)

PRO R 2-SEAT • 2884968 PRO R '22-24

» PRO R 4-SEAT • 2884747 PRO R 4 '22-24



#### HALF WINDSHIELD -HARD COAT POLY, MID

- Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate
- Provides both protection and airflow into the cab
- 30.48 cm tall
- » 2884966

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24



- · Hard coated polycarbonate panel windshield with closed, vented and fully open positions
- · Dual-handled latches with gas support struts
- » TURBO R PRO XP 2889536

TURBO R/4 '22-24, PRO XP/4 '20-24

Not compatible with Light Pocket Aluminum Roof (2883961, 2883991)



#### HALF WINDSHIELD -HARD COAT POLY, LOW

- Provides added protection from the elements, while allowing optimum airflow and visibility
- 12.7 cm tall
- » 2884746

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

# **REAR PANEL**

# **尽** 編絵

#### **POLY REAR PANEL**

- Drape formed 3mm polycarbonate for lightweight, impact-resistant durability
- · Maintains rear visibility and reduces rear air swirl from entering the cockpit
- · If installed, Rear Audio Pods should project backwards

#### TURBO R PRO XP 2-SEAT

2883757 TURBO R '22-24 PRO XP '20-24

PRO R

PRO R '22-24

2884147 TURBO R 4 '22-24, PRO XP 4 '20-24

4-SEAT NOT SHOWN

4-SEAT NOTSHOWN 2884594 PRO R 4 '22-24



# **GLASS**

Superior optical clarity (automotive level) Scratch-resistant

Seals tight Cold weather/heavy duty



## HARD COAT POLY

Lightweight, flexible, easy to store/remove Impact-resistant

30x more scratch resistance than regular poly windshields



2-SEAT NOT SHOWN 2884352

POLYVINYL

HARD COAT

# >ROOFS

# **POLY**

#### **POLY SPORT ROOF**

- Durable, lightweight polypropylene with contoured design for water run-off
- Maximum protection with full seal for a leak-free barrier and reduced chatter

### TURBO R PRO XP

COLOR	2-SEAT	4-SEAT NOTSHOWN
MATTE BLACK	2883928	2883946
	TURBO R '22-24, PRO XP '20-24	TURBO R 4 '22-24, PRO XP 4 '20-24

## **ALUMINUM**

High protection strength

Lower profile

Sleek style

## vs **POLY**

Water run-off
Pre-existing mounting features
Lightweight



# **ALUMINUM**

#### **ALUMINUM ROOF**

- .32 cm lightweight aluminum stamped sheet with full seal for a leak-free barrier and vibration elimination
- Quick install, low-profile design with maximum protection and durability from the harshest conditions

TURBO R	PRO XP	
COLOR	2-SEAT	4-SEAT NOT SHOWN
MATTE BLACK	2883743-458	2883990-458
INDY RED	2883743-293	2883990-293
	TURBO R '22-24, PRO XP '20-24	TURBO R 4 '22-24, PRO XP 4 '20-24

Matte Black stock on Turbo R/4 Premium/Ultimate

PRO R COLOR	2-SEAT	4-SEAT
MATTE BLACK	2884237-458	2884325-458
	PR0 R '22-24	PRO R 4 '22-24

#### **LIGHT POCKET ALUMINUM ROOF**


- . 32 cm lightweight aluminum stamped sheet with full seal for a leak-free barrier and vibration elimination
- Low-profile with light pocket
- Quick installation with maximum protection and durability from the harshest conditions
- Not compatible with Full Vented Windshield Glass (2889109) or Tip Out Windshield - Hard Coat Poly (2889536)

TURBO R COLOR	PRO XP 2-Seat	4-SEAT NOTSHOWN
MATTE BLACK	2883961-458	2883991-458
	TURB0 R '22-24, PR0 XP '20-24	TURBO R 4 '22-24, PRO XP 4 '20-24

ADD THE **71.12 cm RIGID SINGLE ROW LED LIGHT BAR,** WHICH FITS PERFECTLY INTO THE ROOF POCKET.

SEE P. 32 FOR MORE DETAILS





**CHOOSE YOUR DOOF** 

ADD DOOR ACCESSORI



- protection from mud, rocks and water
- Ouick installation and seamless fit into door opening
- Retains front ventilation
- » 2883765

PRO R '22-24, TURBO R '22-24, PRO XP '20-24 STANDARD ON 4-SEAT, PREMIUM/ULTIMATE MODELS

#### **ALUMINUM DOORS**

- 12-gauge thick, stamped aluminum with full lower coverage and seal to keep out water, mud, dust and debris
- · Uses factory door frames, with 4-Seat option providing an additional seal between front and rear doors
- Compatible with Front Door Inner Closeoff Panels (2884658, 2884831) and Upper Doors (2884664, 2884665)


COLOR	2-SEAT NOT SHOWN	4-SEAT
MATTE BLACK	2884659-458	2884660-458

TURBO R '22-24. PR0 XP '20-24

PRO R 4 '22-24, TURBO R 4 '22-24, PRO XP 4 '20-24

Not compatible with Low Profile Rock Sliders (2883987)





#### FRONT DOOR INNER CLOSEOFF PANELS

- Vacuum formed polyethylene with full lower coverage and seal that keeps out water, mud, dust and debris
- · 2-Seat option maintains color accent boomerang
- · Compatible with Door Closeoffs (2883765) and Aluminum Doors (2884659-458, 2884660-458)
- » 2-SEAT 2884658

PRO R '22-24, TURBO R '22-24, PRO XP '20-24 Not compatible with Rock Sliders (2883760, 2883997)

» 4-SEAT • 2884831 NOT SHOWN

PRO R 4 '22-24, TURBO R 4 '22-24, PRO XP 4 '20-24 Not compatible with Rock Sliders (2883987, 2883988)

#### **UPPER DOORS**

- · High quality compression molded doors nest into thermoformed high-density polyethylene side shrouds for excellent sealing
- Includes zip-down 30-gauge clear vinyl windows
- · Provides profiled cab edge for superior fit and finish
- Includes seals for key closeoff areas
- » TURBO R PRO XP 2-SEAT 2884664 TURBO R '22-24, PRO XP '20-24
- » TURBOR PRO XP 4-SEAT 2884665 NOTSHOWN

TURBO R 4 '22-24, PRO XP 4 '20-24

Some drivers may experience passenger side mirror obstruction when used with Upper Doors. Use with caution.





#### **HEATER KIT**

- · Connects to Polaris PULSE bus bar to provide reliable, steady heat to your cab with fan speed and temperature control
- · Closeable driver and passenger floor vents and electronic demist vent shutoff
- » PRO XP 2884386

PR0 XP/4 '20-24







#### **LOW PROFILE BUMPER**

• Durable, powder-coated 3.8 cm - 4.5 cm tube steel with sleek lower profile

	PRO XP	TURBO R PRO
COLOR	FRONT	REAR
MATTE BLACK	2883746-458	2883748-458
INDY RED	2883746-293	2883748-293
BLUE METALLIC	2883746-751	NA
	PR0 XP/4'20-24	TURBO R/4 '22-24, PRO XP/4 '20-24

Bumper Bracket (2889566) required for Front Low Profile Bumper (2883746-XXX) when used on Pro XP/4 Sport '22-24





#### PRE RUNNER BUMPER

• Durable, powder-coated 1.5" steel tube

	PRO XP	TURBO R PRO XP
COLOR	FRONT	REAR
MATTE BLACK	2884581-458	2884585-458
	PRO XP/4 '20-24 Not compatible with a winch	TURB0 R/4 '22-24, PR0 XP/4 '20-24





#### **HIGH COVERAGE BUMPER**

• Durable 12-gauge, powder-coated steel with extended high-coverage design for maximum vehicle protection

	PRO XP	TURBO R PRO XP
COLOR	FRONT	REAR
MATTE BLACK	2883749-458	2884189-458
INDY RED	2883749-293	2884189-293
	PR0 XP/4 '20-24	TURBO R/4 '22-24, PRO XP/4 '20-24







RIGID **LIGHT BAR** SEE P. 32

Next-level style and function. Front bumpers are designed to effortlessly integrate a winch or 15.2 cm RIGID light bar.

#### **FULL COVERAGE FENDER FLARES**

- Covers the rear body opening to prevent mud from flying into the vehicle
- Maximum protection with 15.2 cm of additional coverage and extended, removable mud flaps
- · Front and rear included
- » 2884685

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24





**HIGH COVERAGE BUMPER** 

FRONT

2884353-458 PRO R/4 '22-24, TURBO R/4 '22-24

COL OR

MATTE BLACK

• Durable 10-gauge, powder-coated 4.5 cm tube steel

• Compatible with winch or 6" light bar, both sold separately

PRO R TURBO R



PRO R

2884356-458

PRO R/4 '22-24

RFAR

• Durable, powder-coated 3.8 cm steel tube



	PRO R TURBO R	PRO R
COLOR	FRONT	REAR
MATTE BLACK	2884354-458	2884358-458
INDY RED	2884354-293	2884358-293

PRO R/4 '22-24

PRO R/4 '22-24, TURBO R/4 '22-24



#### PRE RUNNER WINCH BUMPER

- Durable, powder-coated 3.8 cm steel tub
- Requires winch (2884340, 2884341), sold separately

	PRO R TURBO
COLOR	FRONT
MATTE BLACK	2884355-458
INDY RED	2884355-293
	PRO R/4 '22-24, TURBO R/4 '22-24



# 12-GAUGE STAMPED STEEL **NO LOSS IN GROUND CLEARANCE**

#### **LOW PROFILE HD EXTREME KICK-OUT**


COLOR	2-SEAT	4-SEAT
MATTE BLACK	2883760-458	2883987-458
INDY RED	2883760-293	2883987-293
	PRO R '22-24, TURBO R '22-24, PRO YP '20-24	PRO R 4 '22-24, TURBO R 4 '22-24, PRO XP 4 '20-24

2889208-458 2889209-458 MATTE BLACK 2889208-293 2889209-293 INDY RED PRO R '22-24, TURBO R '22-24, PRO XP '20-24 PRO R 4 '22-24, TURBO R 4 '22-24, PRO XP 4 '20-24  $All\ Rock\ Sliders:\ Only\ compatible\ with\ Aluminum\ Doors\ (2884660-458,\ 2884659-458)\ when\ door\ seal\ is\ removed.$ 

COLOR

2-SEAT

Not compatible with Front Door Inner Closeoff Panels (2884658, 2884831)



70% THICKER WALLS, EXTENDS FROM MACHINE FOR MAX PROTECTION THROUGH ROUGH TERRAIN

4-SEAT

#### **SEAMLESS INSTALLATION**

Reusable anchors allow for easy installation of rock sliders into the built-in, dedicated chassis location.



CLOSED/UNLOCKED



OPEN/LOCKED







# ADVANCED TECH

RIGID lights are driven by Aluminum PCB Smart Boards\*, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac\* UV protection polyester powdercoating.

# EXCLUSIVE OPTICS

RIGID" invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

#### **LIGHT BAR OPTIONS**



BRAND SIZE TYPE

RAW LUMENS

I. CHOOSE YOUR LIGHT BAR

PN FITMENT 15.2 CM

DUAL-ROW E-SERIES

2884649

PRO R/4 '22-24, TURBO R/4 '22-24,
PRO XP/4 '20-24

· 883833

MOUNTS IN WINCH POCKET FOR SEAMLESS INTEGRATION IN FRONT BUMPERS

#### 71.1 CM

SR-SERIES 17,556

2884074

TURBO R/4 '22-24, PRO XP/4 '20-24

.....

DESIGNED FOR USE WITH LIGHT POCKET ALUMINUM ROOF

# 81.3 CM

20,064

2884648 PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

**MOUNTS TO ROOF** FOR MAXIMUM VISIBILITY



#### **RIGID CHASE LIGHT**

- Bright, daylight visible lighting with eleven selectable modes, including white scene lighting for accessing cargo bed in the dark
- Connects into brake light system for additional high mount brake light
- » 2884359 PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

#### **MOUNT OPTIONS**

#### **15.2 CM LIGHT BAR MOUNT**

PRO R TURBO R » 2884595

ASE LIGHT » 2884896

71.1 CM LIGHT BAR MOUNT

MOUNT INCLUDED
WITH LIGHT

#### 81.3 CM LIGHT BAR MOUNT

TURBO R PRO XP

» 2884650 » 2884601 TURBO R/4 '22-24, PRO XP/4 '20-24 PRO R/4 '22-24

CHASE LIGHT MOUNT KIT » 2884896 PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

#### **LIGHT BAR OPTIONS**

#### LIGHT BAR SET-UPS

MODEL	1 LIGHT in 1 LOCATION on 1 SWITCH	2 LIGHTS in 2 LOCATIONS on 2 SWITCHES	CHASE LIGHT
PRO R / 4 '22-24 TURBO R / 4 '22-24 PRO XP / 4 '20-24	POLARIS PULSE LIGHT BAR HARNESS 2883949	POLARIS PULSE LIGHT BAR HARNESS (x2) 2883949	CHASE LIGHT HARNESS 2889034
1 NO AL 7 1 20 2 1	POLARIS PULSE HD LIGHT BAR HARNESS 2889130	POLARIS PULSE HD LIGHT BAR HARNESS (x2) 2889130	
	FOR LIGHTS THAT DRAW OVER 10A	FOR LIGHTS THAT DRAW OVER 10A	

STORAGE





#### **ACCENT LIGHT**

- Durable construction resists dust and water while on the trails
- Front fascia LED accent light
- » 2884346 PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24 STANDARD ON PREMIUM/ULTIMATE MODELS



# **POLARIS ENGINEERED ADVANTAGES**

# **PLUG & PLAY ELECTRICAL**

### **POLARIS PULSE IS A REVOLUTIONARY**

way to provide power to your vehicle and makes adding electrical accessories a snap.







- Easy-to-use latches and molded side handles
- Durable polypropylene, engineered to seal out dust and water
- Lock & Ride strongly secures the box to the cargo bed

» TURBO R PRO XP 69 L • 2883751

TURBO R/4 '22-24, PRO XP/4 '20-24

» PRO R

57 L • 2884235 PRO R/4 '22-24



#### **以** 2000 **REAR CARGO BOX**

- Easy-to-use latches and molded side handles
- Durable polypropylene, engineered to seal out dust and water
- · Lock & Ride strongly secures the box to the cargo bed

» TURBO R PRO XP 40 L • 2883752

TURBO R/4 '22-24, PRO XP/4 '20-24

» PRO R 34 L • 2884236 PRO R/4 '22-24

Fit: Sleeping Bag | First Aid Kit | Snacks | Sunscreen

REAR CARGO STORAGE BOX AND 28 L NORTHSTAR COOLER NEST PERFECTLY TOGETHER

FORWARD CARGO AND REAR CARGO STORAGE BOXES NEST PERFECTLY TOGETHER

AUDIO



- · Single wall base and dual wall lid that seal out dust and water
- · Lock & Ride mounting for easy installation and removal
- Includes a drain plug and mounting hardware, with a location to add a padlock for increased security
- Only compatible with flip forward/fold flat storage in Premium/Ultimate models
- · Fits full size off-road vehicle helmet

PRO R 4 '22-24, TURBO R 4 '22-24, PRO XP 4 '20-24



#### **PIVOTING SPARE TIRE CARRIER**

- · Secure mounting with dual latches
- · Steel mounts and rack
- Holds up to a 33" tire and supports 34 kg of weight
- · Single-handed release mechanism
- » TURBO R PRO XP 2889404-458 TURB0 R/4 '22-24, PR0 XP/4 '20-24

» PRO R 2884326-458

PRO R/4 '22-24

Not compatible with both Rear Speaker Pods (2883945) and Poly Rear Panel (part number varies by model)

#### **広** 端絵 **28 L REAR COOLER**

- · Lid locks securely in place with rubber latches to protect cargo
- · Provides plenty of storage without weighing you down
- · Keeps your food, beverages and bait fresh while out on the trails
- · Nests with forward cargo box
- » 2889740

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24



#### **POLARIS NORTHSTAR** 28 L COOLER

- · Nests with rear cargo box
- » GRAPHITE 2883424

» SAGEBRUSH GREEN • 2890706

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

#### **以** 治器(

#### **NORTHSTAR 28 L COOLER BRACKET**

» TURBO R PRO XP 2884070

TURB0 R/4 '22-24, PR0 XP/4 '20-24

PRO R 2889200

PRO R/4 '22-24

Not compatible with Pivoting Spare Tire Carrier (2889404-458, 2884326-458)



SEE P. 112 FOR FULL DETAILS



#### 9.5 L SHOULDER STORAGE BAG

- Keeps your belongings safe and secure
- · Molded sides, lid inserts, waterproof zipper and a nylon mesh pocket for versatile storage options
- Easy install and quick access with a sleek cockpit look

#### » 2889785

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24

Fits between rear seats on 4-Seat models



Fit: Flashlight | Snacks | Sunglasses | Bug Spray

#### 7.25 L DOOR **STORAGE BAG**

- Quick reach access to keep supplies and gear secure
- Waterproof zipper keeps everything enclosed, clean and dry
- · Molded face with EVA carbon fiber vinyl cover design

#### » 2889784

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24 Compatible with front doors only Not compatible with Front Door Inner Closeoff Panels (2884658, 2884831)



SEE COVERS AND STRAPS P. 136



# >MISC

#### **S&B PARTICLE SEPARATOR**

- Separates over 94% of dust before it reaches the air filter
- Integrated hidden design in the fender to stay out of sight
- Variable fan based on engine speed to keep noise levels low

» PRO XP 2884629

PR0 XP/4 '20-24

ORDERABLE THROUGH LOCAL DEALER ONLY



# > MIRRORS

# ADJUSTABLE FOLDING SIDE MIRRORS

- Installs in minutes and integrates into a designated mounting position
- Laminated safety glass for excellent scratch resistance
- » 2883762

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24



# SECONDARY BATTERY MOUNT KIT

- Provides longer lasting 12V output
- Battery sold separately
- » 2884347

PRO R '22-24, TURBO R '22-24, PRO XP '20-24 STANDARD ON PRO R/4 PREMIUM/ULTIMATE MODELS

» 2884391

PRO R 4 '22-24, TURBO R 4 '22-24, PRO XP 4 '20-24 STANDARD ON PRO R/4 PREMIUM/ULTIMATE MODELS



# PREMIUM CONVEX REARVIEW MIRROR TOPSELLER

- Installs in minutes and integrates into a designated mounting position
- Laminated safety glass for excellent scratch resistance
- » 2883763

PRO R/4 '22-24, TURBO R/4 '22-24, PRO XP/4 '20-24







# > WINCHES






FEATURES	PRO PRO HEAVY DUTY SERIES		
RAPID ROPE RECOVERY	STANI	DARD	
AUTO STOP TECHNOLOGY	STANI	DARD	
WINCH LINE	SYNTHET	TIC ROPE	
CONTROL	WIRELESS & WII	RED STANDARD	
MODEL	2,721 kg	2,041 kg	
PRO R TURBO R PRO R / 4'22-24 TURBO R / 4'22-24 Includes both wired and wireless remote	2884341	2884340	
PRO XP PRO XP / 4 '20-24 Includes both wired and wireless remote	2883759	2883758	

REPLACEMENT PARTS

# 15 M SYNTHETIC ROPE 2,721 kg SERIES >> 2879188

2,041 kg SERIES » 2879187





VEHICLE PROTECTION

LIGHTING

MIRRORS & WINCHES

2014-2023 XP 1000 XP TURBO & TURBO S



# pockford fosquite

Rockford Fosgate partnered with Polaris to create the next evolution of factory-installed off-road audio. Purpose-built to stand up to any outdoor environment and designed to perform no matter the ride. Specifically tuned and rider-centric to create an audio experience that is second to none.







CARGO SPACE





· Tuned to combat wind and motor

dust and moisture intrusion

noise, delivering an incredible sound

Element ready design guards against

**SOURCE UNITS** 

no matter the speed

**ELEMENT READY** 



- Ultra compact CLEAN technology
- Highly efficient design capable of being pushed hard without overheating

#### **SPEAKERS**

- · Off-road optimized Element Ready speakers thrive in any outdoor environment
- Specifically tuned enclosures create rich cockpit sound
- · Rugged, yet lightweight, materials that don't sacrifice speed for sound

#### **SUBWOOFERS**

- High-power, high-excursion subwoofer that acoustically couples with the cockpit for perfect bass response
- Torture tested to ensure long life and performance



#### A. STAGE 1

#### PMX-P2 HEAD UNIT & 16.51 cm DASH SPEAKERS

- 6.86 cm full color display
- · AM/FM/WB tuner, Pandora control, Bluetooth connectivity
- · Includes mount kit
- 50 watt 16.51 cm coaxial speakers with enclosures
- » 2885003

XP/4 '24

STANDARD ON PREMIUM MODELS NOT COMPATIBLE WITH ULTIMATE MODELS



#### D. STAGE 4 25.4 cm POWERED SUBWOOFER

- · 25.4 cm subwoofer with enclosure and grille
- 400 watt integrated subwoofer amplifier
- » 2884562

XP/4 '24

Stage 3 Audio (2889292) required, sold separately Not compatible with Stage 5 Audio

#### B. STAGE 2 16.51 cm REAR SPEAKERS • 50 watt 16.51 cm component speakers including tweeters with enclosures

» 2884561

XP/4'24

STANDARD ON ULTIMATE MODELS



#### C. STAGE 3 AMPLIFIER UPGRADE KIT

- 400 watt full range amplifier
- » 2889292

STANDARD ON ULTIMATE MODELS



#### E. STAGE 5

30 cm POWERED SUBWOOFER WITH **FULL SYSTEM SPEAKER UPGRADE** 

- 400 watt 30 cm subwoofer with enclosure and grille
- 100 watt dash speakers (x2)
- 100 watt rear speakers with enclosures and stainless steel grilles
- 2x more power and sound delivery over the stock system
- » 2889614

XP/4 '24

Stage 3 Audio (2889292) required, sold separately Not compatible with Stage 4 Audio or Rear Pods



### F. REAR PODS

**USE WITH STAGES 1-4** 

- 50 watt 16.51 cm coaxial speakers with can-enclosures, mounting hardware and grilles
- » 2883945

XP/4'24

Not compatible with Stage 5 Audio Upgrade (2889614)



# **BUILD YOUR SOUND**

(CHOOSE THE PATH THAT MATCHES YOUR RZR)



#### **SKIP TO STEP 2**



**PREMIUM** 

PMX-P2 + STAGE 1



ULTIMATE

RIDE COMMAND + STAGE 3

#### **NO FACTORY AUDIO**

### STEP 1 **ADD BASE AUDIO**

#### STAGE 1

PMX-P2 HEAD UNIT & 16.51 CM DASH SPEAKERS 2885003

XP/4 '24

STANDARD ON PREMIUM MODELS NOT COMPATIBLE WITH ULTIMATE MODELS

## STEP 2 **UPGRADE AUDIO**

#### STAGE 2

16.51 CM REAR SPEAKERS 2884561

XP/4 '24 STANDARD ON ULTIMATE MODELS + / OR

STAGE 3

AMPLIFIER UPGRADE KIT 2889292

XP/4 '24

STANDARD ON ULTIMATE MODELS

+ / OR

#### **REAR PODS**

2883945 XP/4 '24

Not compatible with Stage 5 Audio Upgrade (2889614)

ADD TO STAGES 1-4

### STEP 3

# CRANK THE BASS

#### STAGE 4

25.4 CM POWERED SUBWOOFER 2884562 XP/4 '24

Stage 3 Audio (2889292) required, sold separately NOT COMPATIBLE WITH STAGE 5 AUDIO

OR

#### STAGE 5

30 CM POWERED SUBWOOFER WITH FULL SYSTEM SPEAKER UPGRADE 2889614

XP/4 '24

Stage 3 Audio (2889292) required, sold separately NOT COMPATIBLE WITH STAGE 4 AUDIO OR REAR PODS



#### ADD COMFORT AND STYLE WITH END-TO-END PROTECTION



#### **RECOMMENDED 2-SEAT CAB**

2884545 • Full Vented Windshield - Glass 2884579 • Glass Windshield Wiper Kit 2884519 • Poly Rear Panel 2884553 • Poly Sport Roof 2884533 • Upper Doors

Available on 2-Seat and 4-Seat vehicles.

#### **RECOMMENDED 4-SEAT CAB**

and water.

2884542 • Full Vented Windshield - Hard Coat Poly 2884519 • Poly Rear Panel 2884551-458 • Aluminum Roof 2884534 • Upper Doors

Available on 2-Seat and 4-Seat vehicles.

AUDIO



#### **PROFILE ROPS**

Provides a flat sealing surface for the glass windshield gasket and indentation along the A-pillar for optimized fit.



#### **DASH GROOVE**

Dedicated nesting location along the dash for windshields to rest, creating a tighter seal to eliminate air gaps.

**POLARIS ENGINEERED** 

**ADVANTAGES** 

# **WINDSHIELDS**

#### **GLASS**



#### **FULL VENTED WINDSHIELD - GLASS**

- Double-layer, laminated and tempered glass windshield with steel, powder-coated frame and adjustable center vents
- » 2884545

XP/4'24



#### **GLASS WINDSHIELD WIPER KIT**

- · Simple to control with a multi-function, dash-mounted switch
- Includes a washer fluid reservoir
- » 2884579

XP/4'24

Compatible with glass windshield only



#### HARD COAT POLY



### **広** 紫陽藍

# FULL VENTED WINDSHIELD -HARD COAT POLY

- Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate
- · Full protection with airflow vents that quickly open for cockpit ventilation
- » 2884542

XP/4'24



#### 风器器

#### FULL WINDSHIELD -HARD COAT POLY

- Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate
- · No frame design offers maximum visibility

POLYVINYL HARD COAT

- Integrates with all cab components
- » 2884540


XP/4 '24



### 尽 垛账 HALF WINDSHIELD -HARD COAT POLY

- Provides added protection from the elements, while allowing optimum airflow and visibility
- 18 cm tall
- » 2884539

XP/4 '24



## **GLASS**

VS

## **HARD COAT POLY**

Superior optical clarity (automotive level) Scratch-resistant Seals tight

Cold weather/heavy duty

Lightweight, flexible, easy to store/remove Impact-resistant

30x more scratch resistance than regular poly windshields

## **REAR PANEL**



#### **尽** 場監 **POLY REAR PANEL**

- Designed with a flat polycarbonate viewing area to maintain rearward visibility
- A thermoformed shroud seals the lower portion of the cab to reduce rear air swirl
- Compatible with all storage and the spare tire carrier
- » 2884519

XP/4'24

Not compatible with Rear Speaker Pods (2883945)





# **POLY**

#### **POLY SPORT ROOF**

- Durable, lightweight polypropylene with contoured design for water run-off
- Maximum protection with full seal for a leak-free barrier and reduced chatter

	COLOR	2-SEAT	4-SEAT NOT SHOWN
I	MATTE BLACK	2884553	2884554
		XP '24	XP 4 '24

# **ALUMINUM**

High protection strength Lower profile Sleek style

# **POLY**

Water run-off
Pre-existing mounting features
Lightweight



VS

# **ALUMINUM**

#### **ALUMINUM ROOF**

- .32 cm lightweight aluminum stamped sheet with full seal for a leak-free barrier and vibration elimination
- Quick install, low-profile design with maximum protection and durability from the harshest conditions

COLOR	2-SEAT	4-SEAT   NOTSHOWN
MATTE BLACK	2884549-458	2884551-458
INDY RED	2884549-293	2884551-293
	XP '24	XP 4 '24







#### **UPPER DOORS**

- High quality compression molded doors nest into thermoformed high-density polyethylene side shrouds for excellent sealing
- Includes zip-down 30-gauge clear vinyl windows
- Provides profiled cab edge for superior fit and finish
- Includes external latches

COLOR	2-SEAT	4-SEAT NOT SHOWN
MATTE BLACK	2884533	2884534
	XP '24	XP 4 '24



#### **EXTERIOR DOOR LATCH KIT**

- Makes opening doors from outside the vehicle easier
- Includes one latch per door
- » 2-SEAT 2889402
- » 4-SEAT 2889403 NOT SHOWN XP 4 '24



# > HEATER

#### **HEATER KIT**

- Connects to Polaris PULSE bus bar and provides reliable, steady heat to your cab with fan speed and temperature control
- Select between in-cab heat, demist vents or both with a controllable knob
- » 2884523

XP/4 '24



## **BUMPERS**





#### **LOW PROFILE BUMPER**

• Durable, powder-coated 3.8 cm tube steel with sleek lower profile

COLOR	FRONT	REAR
MATTE BLACK	2884515-458	2884516-458
	VP//, '2/,	VD//, '2/,





#### **HIGH COVERAGE BUMPER**

• Durable 3.8 cm tube steel with headlight bezels for maximum coverage

COLOR	FRONT	REAR
MATTE BLACK	2884513-458	2884514-458
INDY RED	2884513-293	2884514-293
	VP//, '2/,	VD//, '2/,







**RIGID 15.24 CM LIGHT BAR SEE P. 56** 



# **ROCK SLIDERS**



#### **LOW PROFILE**

COLOR	2-SEAT	4-SEAT
MATTE BLACK	2884472-458	2884511-458
INDY RED	2884472-293	2884511-293
	XP '24	XP 4 '24



#### **HD EXTREME KICK-OUT**

CULUK	Z-SEAT	4-SEAI
MATTE BLACK	2884473-458	2884512-458
INDY RED	2884473-293	2884512-293
	XP '24	XP 4 '24

# SEAMLESS INSTALLATION

Reusable anchors allow for easy installation of rock sliders into the built-in, dedicated chassis location.



CLOSED/UNLOCKED



OPEN/LOCKED

# **FENDER FLARES & ARM GUARDS**




#### **FULL COVERAGE FENDER FLARES**

- Replaces stock fender flares and provides additional coverage with factory styling
- Front and rear included
- » 2889133 XP/4 '24



#### **TRAILING ARM GUARDS**

- Reliable protection for vital suspension components of your vehicle
- HDPE poly guard bolts to Trailing Arm Guards to protect against rock abrasions
- » 2889442 XP/4 '24



## HIGH CLEARANCE SUSPENSION KIT

- Designed to optimize ground clearance
- Includes one set of high clearance front control arms and high clearance radius rods
- » 2890853

XP/4 '24

STORAGE

# > LIGHTING

**RZR XP** 



#### **ADVANCED TECH**

RIGID® lights are driven by Aluminum PCB Smart Boards<sup>®</sup>, 6063-T5 aircraft aluminu<u>m extruded</u> housings and Tiger Drylac® UV protection polyester powdercoating.

#### **EXCLUSIVE OPTICS**

RIGID° invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

#### **LIGHT BAR OPTIONS**



**BRAND** SIZE TYPE

FITMENT

RAW LUMENS PΝ

1. CHOOSE YOUR LIGHT BAR

3. ADD A HARNESS

2884649 XP/4'24 Requires bumper, sold separately.

· EE 3333

15.2 CM

DUAL-ROW E-SERIES

9.504

MOUNTS TO FRONT FASCIA WITH ACCESSORY BUMPER

81.3 CM SR-SERIES

20.064

2884648 XP/4 '24

uires roof, sold separately

MOUNTS TO ROOF FOR MAXIMUM VISIBILITY



#### **RIGID CHASE LIGHT**

- Bright, daylight visible lighting with eleven selectable modes, including white scene lighting for accessing cargo bed in the dark
- Connects into brake light system for additional high mount brake light
- »2884359 XP/4 '24

#### **MOUNT OPTIONS**

#### **15.2 CM LIGHT BAR MOUNT**

» 2884510 XP/4'24

#### **81.3 CM LIGHT BAR MOUNT**

» 2884650 XP/4 '24

#### **CHASE LIGHT MOUNT KIT**

»2889121 XP/4 '24

#### **HARNESS OPTIONS**

	LIGHT BAI		
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES	CHASE LIGHT
XP / 4	POLARIS PULSE LIGHT BAR HARNESS 2889291	POLARIS PULSE LIGHT BAR HARNESS (X2) 2889291	CHASE LIGHT HARNESS 2889293

# POLARIS ENGINEERED ADVANTAGES



#### **PLUG & PLAY ELECTRICAL**

#### **POLARIS PULSE IS A REVOLUTIONARY**

way to provide power to your vehicle and makes adding electrical accessories a snap.



- Durable construction resists dust and water while on the trails
- Front and rear LED accent lights
- » 2889539 XP/4'24 Standard on Ultimate models







# 78 L FORWARD CARGO BOX

- Easy-to-use latches and molded side handles
- Durable polypropylene, engineered to seal out dust and water
- Lock & Ride strongly secures the box to the cargo bed
- » 2889611 XP/4 '24





#### **8 L SHOULDER STORAGE BAG**

- Keeps your belongings safe and secure
- Molded sides and lid with dual YKK° zippers
- · Easy install and quick access with a sleek cockpit look
- » 2884530

XP/4 '24

Fits between rear seats on 4-Seat models



#### **4.7 L DOOR STORAGE BAG**

- Quick reach access to keep supplies and gear secure
- Waterproof YKK° zippers keep everything enclosed, clean and dry
- » 2884528

XP/4'24

Compatible with front doors only



### **以** 粉點 28 L REAR COOLER

- Lid locks securely in place with rubber latches to protect cargo
- Provides plenty of storage without weighing you down
- Keeps your food, beverages and bait fresh while out on the trails
- Nests with forward cargo box
- » 2889612 XP/4 '24





### POLARIS NORTHSTAR 28 L COOLER

- Nests with rear cargo box
- » GRAPHITE 2883424

» SAGEBRUSH GREEN • 2890706 XP/4 '24



### NORTHSTAR 28 L COOLER BRACKET

» 2884526 XP/4 '24



SEE P. 112 FOR FULL DETAILS ON POLARIS NORTHSTAR COOLERS



### **TONNEAU COVER**

- One cover seals the entire storage box
- Built-in friction hinge to stay open on its own
- » 2884548

XP/4 '24

Not compatible with cargo boxes or coolers



### **PIVOTING SPARE TIRE CARRIER**

- Secure mounting with dual latches and single-handed release mechanism
- Steel mounts and rack
- Holds up to a 32" tire and supports 34 kg of weight
- » 2884546-458 XP/4 '24

**SEE COVERS AND STRAPS** P. 136





### **ADJUSTABLE FOLDING SIDE MIRRORS**

- Left and right mirrors included
- Installs in minutes and integrates into a designed mounting position
- Laminated safety glass for excellent scratch resistance
- » 2884524

XP/4'24

Not compatible with Upper Doors (2884533, 2884534)



### PREMIUM CONVEX REARVIEW MIRROR TOP SELLER

- Installs in minutes and integrates into a designated mounting position
- Laminated safety glass for excellent scratch resistance
- » 2883763

XP/4 '24



FEATURES	PRO PRO HEAVY DUTY SERIES	HD HEAVY DUTY SERIES
RAPID ROPE RECOVERY	STANDARD	NOT AVAILABLE
AUTO STOP TECHNOLOGY	STANDARD	OPTION
WINCH LINE	SYNTHETIC ROPE	SYNTHETIC ROPE
CONTROL	WIRED TOGGLE SWITCH & WIRELESS REMOTE STANDARD	WIRED TOGGLE SWITCH STANDARD, WIRED & WIRELESS REMOTE OPTIONAL
MODEL	2,041 kg	2,041 kg
XP / 4 '24	2884836	2884835

### REPLACEMENT PARTS

### 15 M SYNTHETIC ROPE

2,041 kg SERIES » 2879187



### AUTO STOP UPGRADE

- Replaces stock fairlead
- » 2889028

Synthetic Rope & Wireless Remote (2889561), required

### WIRED REMOTE CONTROL

**UPGRADE YOUR HD WINCH** 

- 1.8 m corded remote
- Direct plug & play operation
- » 2889562



### WIRELESS REMOTE

- Up to 15 m range with LED indicator
- Direct plug & play operation
- » 2889561



SEE ADDITIONAL WINCH INFORMATION P. 116



### HARD COAT POLY

2014-2023 RZR XP 1000, XP TURBO & TURBO S



### FULL VENTED WINDSHIELD -HARD COAT POLY

- Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate
- · Full protection with airflow vents that quickly open for cockpit ventilation
- » 2884330

XP TURBO/4 '19-21, XP 1000/4 '19-23



#### **以** 點點 FULL WINDSHIELD -HARD COAT POLY TOP SELLER

- Durable, optical-grade polycarbonate provides maximum impact resistance
- » 2884018 XP TURBO/4 '19-21, XP 1000/4 '19-23



### HALF WINDSHIELD -HARD COAT POLY

- Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate
- Provides protection and airflow into the cab
- 17.8 cm tall
- » 2884768

TURBO S '18-21, XP TURBO/4 '19-21, TURBO S 4 '19-21, XP 1000/4 '19-23

### FULL WINDSHIELD -GLASS

• Double layer laminated, tempered glass windshield

**GLASS** 

- · Fits seamlessly with the roof and hood of your vehicle to form a complete seal for maximum durability and reduced chatter
- » 2884331

XP TURBO/4 '19-21, XP 1000/4 '19-23

### > REAR PANELS & DOORS



### POLY REAR PANEL TOP SELLER

» 2881614

XP TURBO '15-21, XP 4 TURBO '16-21, XP 1000/4 '14-23

Not compatible with Extreme Audio Pods



### LOWER DOOR INSERTS TOP SELLER

- Covers the bottom of the door opening, shutting out water and dust
- · Durable plastic construction with steel frame
- » 2-SEAT 2879509 NOTSHOWN TURBO S '18-21, XP TURBO '15-21, XP 1000 '14-23
- » 4-SEAT 2879942

TURBO S 4 '19-21, XP 4 TURBO '16-21, XP 4 1000 '14-23



#### **CANVAS UPPER DOORS**

- Easy install with stock door panels using pre-designated mounting points
- 23 OZ mold-resistant, UV-stable and crack-resistant materials for lasting durability and protection from the elements
- Install with roof, full windshield, rear panel and lower doors to create a full cab enclosure for colder weather and/or increased protection from the elements
- · Not compatible with Poly Sport Roof or Audio Roof options
- » 2-SEAT 2884333

XP TURBO '19-21, XP 1000 '19-23

» 4-SEAT • 2884332 NOT SHOWN

XP 4 TURBO '19-21, XP 4 1000 '19-23

### >ROOFS



### POLY SPORT ROOF TOP SELLER

- Rigid, injection-molded design to eliminate warping in high-heat conditions
- · Integrated mounting locations for lighting
- Rugged, textured polyethylene construction for impact and abrasion resistance
- Not compatible with upper or full doors

COLOR	2-SEAT	4-SEAT NOT SHOWN
MATTE BLACK	2883073	2883074
	XP TURBO '15-21, XP 1000 '14-23	XP 4 TURBO '16-21, XP 4 1000 '14-23



### **GRAPHIC SPORT ROOF**

- Weighs only 5 kg (30% lighter than aluminum)
- Won't bend or break upon impact with debris or other obstacles
- · Sunroof lets in sunlight while shading from the heat

COLOR	2-SEAT
MATTE BLACK	2881206
INDY RED	2881607
	XP TURBO '15-21 XP 1000 '14-23



### ALUMINUM ROOF TOP SELLER

- Seals to the vehicle frame for the best protection and great integration with other RZR accessories
- Strong and durable 5051 aluminum construction for long-lasting, reliable protection

COLOR	2-SEAT	4-SEAT NOT SHOWN
MATTE BLACK	2881582-458	2881592-458
INDY RED	NA	2881592-293
	XP TURBO '15-21, XP 1000 '14-23	XP 4 TURBO '16-21, XP 4 1000 '14-23
MATTE BLACK	2884086-458	2884087-458
	TURB0 S '18-21	TURBO S 4 '19-21

COMES STOCK ON TURBO S AND TURBO S 4 DYNAMIX

### > VEHICLE PROTECTION





### **BUMPER ANCHOR PACK**

- Four anchors and two bumper end caps
- » 2205114

LOW PROFILE BUMPER TOP SELLER

 Perfect for heavy-duty protection, with aggressive style and mounting for lights



COLOR	FRONT	REAR
MATTE BLACK	2884019-458	2884020-458
INDY RED	2884019-293	2884020-293

XP TURBO '15-21, XP 4 TURBO '16-21, XP 1000/4 '14-23

■ MATTE BLACK 2883132-458 2883133-458 TURBO S 18-21, TURBO S 4 19-21

### **LOW PROFILE ROCK SLIDERS**

- · Plated steel construction, durable powdercoat finish
- · Easy installation with expanded anchor mount



2-SEAT	4-SEAT
2879498-458	2879940-458
2881587-293	NA

2-SEAT: TURBO S '18-21, XP TURBO '15-21, XP 1000 '14-23 4-SEAT: TURBO S 4 '19-21, XP 4 TURBO '16-21, XP 4 1000 '14-23

### **EXTREME KICK-OUT ROCK SLIDERS**

- Rugged steel protection and race-inspired styling
- Low-profile mounting location preserves ground clearance





2-SEAT	4-SEAT
2879456-458	2882079-458
2881586-293	NA

2-SEAT: TURBO S 18-21, XP TURBO 15-21, XP 1000 14-23 4-SEAT: TURBO S 4 19-21, XP 4 TURBO 16-21, XP 4 1000 14-23



### FULL COVERAGE FENDER FLARES

- Keep the mud, dirt and debris from launching off the tires and into your face
- Includes two, front only
- » 2881985

TURBO S '18-21, TURBO S 4 '19-21, XP TURBO '15-21, XP 4 TURBO '16-21, XP 1000/4 '14-23



### MUD FLAPS

- Designed to specifically integrate into front fender flares
- · Includes two, front only
- » 2879938

TURBO S '18-21, TURBO S 4 '19-21, XP TURBO '15-21, XP 4 TURBO '16-21, XP 1000/4 '14-23

## > WINCHES



2014-2023 RZR XP 1000, XP TURBO & TURBO S



FEATURES	PRO HEAVY DUTY SERIES	HD HEAVY DUTY SERIES	
RAPID ROPE RECOVERY	STANDARD	NOT AVAILABLE	
AUTO STOP TECHNOLOGY	STANDARD	OPTION	
WINCH LINE	SYNTHETIC ROPE	STEEL CABLE	
CONTROL	WIRELESS STANDARD, WIRED OPTION	WIRED STANDARD, WIRELESS OPTION	
MODEL	2,041 kg	1,588 kg	ADD REQUIRED CABLES
XP 1000/4 '14-23 XP 4 TURBO '16-21 XP TURBO '15-21	TOP SELLER / 2882240	TOP SELLER / 2881671	XP 1000/4 '19-23, XP TURB0/4 '19-21 Require Winch Cover Kit 2884118
TURBO \$ '18-21 TURBO \$ 4 '19-21	2883828		Included with winch

### REPLACEMENT PARTS

### SYNTHETIC ROPE

2,041 kg SERIES » 2879187



### STEEL CABLE

1,588 kg SERIES » 2878890



### **UPGRADE YOUR CONTROLS**

#### WIRED REMOTE CONTROL

• Must order remote handle and socket together

» REMOTE HANDLE 4013466

Works with 2882240, 2883828

» SOCKET 4014228

Works with 2882240, 2883828

### **UPGRADE YOUR HD WINCH**

#### WIRELESS REMOTE

- Up to 15 m range with LED indicator
- Direct plug & play operation
- » 2879316

#### AUTO STOP UPGRADE

- Billet aluminum
- Replaces stock fairlead
- » 2881693

Synthetic Rope Required

### > STORAGE



### **以** 點點

### 45 L COOLER BOX

» 45.4 L2881555

TURBO S 18-21, XP TURBO 15-21, TURBO S 4 19-21, XP 4 TURBO 16-21, XP 1000/4 14-23



### **SPARE TIRE CARRIER**

» 2883487

TURBO S '18-21, TURBO S 4 '19-21

» 2879464

XP TURBO '15-21, XP 4 TURBO '16-21, XP 1000/4 '14-23





### 65 L CARGO BOX TOP SELLER

» 2881193

TURBO S '18-21, XP TURBO '15-21, TURBO S 4 '19-21, XP 4 TURBO '16-21, XP 1000/4 '14-23



### **LOWER DOOR STORAGE BAG**

» 2880613

TURBO S '18-21, XP TURBO/4 '16-21, TURBO S 4 '19-21, XP 1000/4 '14-23 Requires Lower Door Inserts (2879509, 2879942) Only compatible with front doors



» 2881544



### 区 MREE EXPANSION ANCHOR

» 2876420



### **BED D-RINGS**

» 2877460

TURBO S '18-21, XP TURBO '15-21, TURBO S 4 '19-21, XP 4 TURBO '16-21, XP 1000/4 '14-23

BASE UNIT OR ADD SPEAKERS

### **AUDIO ROOF**

- Use as an all-in-one solution or a base unit to build your system
- Four high-efficiency 16.5 cm coaxial speakers for unbeatable sound
- · Built in push-button dash radio with Bluetooth and AUX
- Modular design for improved serviceability and access
- Not compatible with RIDE COMMAND

#### **S4 AUDIO ROOF**

» 2882064 XP TURBO '15-21, XP 1000 '14-23

#### S8 AUDIO ROOF

» 2882065

XP TURBO '15-21, XP 1000 '14-23

MODEL:	S4	88
(4) 16.5 cm COAXIAL SPEAKERS	×	×
(4) 16.5 cm COMPONENT SPEAKERS, MIDS & TWEETERS		×
4-CHANNEL, 2-OHM, 300W AMPLIFIER		×
83.8 cm SINGLE-ROW PRO ARMOR LIGHT BAR		×
DOME LIGHT		×



Sound Bar 8



Sound Bar 4

#### **SOUND BAR**

• All-in-one solution for a quick and easy audio upgrade to your machine

#### SOUND BAR 8

- Six mid-range/mid-bass speakers and two dedicated tweeters
- Fully waterproof with large, easy-to-use external controls
- » 2881465

XP TURBO '15-21, XP 1000/4 '14-23, XP 4 TURBO '16-21 Speaker Bar Harness (2882280) required

#### SOUND BAR 4

- Two mid-range/mid-bass speakers and two dedicated tweeters
- » 2881230

XP TURBO '15-21, XP 1000/4 '14-23, XP 4 TURBO '16-21 Speaker Bar Harness (2882280) required



### DOOR SPEAKERS TOP SELLER

- 16.5 cm component speakers with 1.9 cm titanium dome tweeters
- Harnessing included to connect to audio amplifier
- Works with Polaris Aluminum Door kits or Polaris Lower Door kits
- Use with RIDE COMMAND requires Audio Amplifier (2884064)

### » FRONT • 2881989 (SET OF TWO)

TURBO S 18-21, XP TURBO/4 15-21, TURBO S 4 19-21, XP 1000/4 14-23 Not compatible with DYNAMIX Active Suspension models

### » REAR • 2883116 (SET OF TWO) TURBO S 4 '19-21, XP 4 TURBO '16-21,

XP 4 1000 14-23
Requires Front Door Speakers (2881989).
Connects directly to audio amplifier (2884064).
No additional amplifier needed.
Not compatible with Audio Roofs.

### » AUDIO AMPLIFIER • 2884064 TURBO S 19-21, XP TURBO / 19-21.

TURBO S 4 '20-21, XP 1000/4 '19-23

(2881989). Required with Door Speakers (2881989, 2883116)

#### **AUDIO Y-HARNESS**

- Y-Harness splits the audio signal to allow for additional audio components to be added
- » 2883269

TURBO S '18-21, XP TURBO/4 '19-21, TURBO S 4 '20-21, XP 1000/4 '14-23

### **LINE-OUT AUDIO HARNESS**


- Designed to extend JST audio signal from rear of audio roof to the front of the vehicle
- » 2881652

TURBO S '18-21, XP TURBO/4 '19-21, TURBO S 4 '20-21, XP 1000/4 '14-23

### **RIDE COMMAND AUDIO ADAPTER**


- Required to hook up any audio RIDE COMMAND system
- Connect up to two speaker options and subwoofer
- » 2883232

TURBO S '18-21, XP TURBO/4 '19-21, TURBO S 4 '20-21, XP 1000/4 '14-23 Required when adding audio to 7" Display (2884072)



VEHICLE PROTECTION & STORAGE

WINCHES, HEATER & PLOWS







### **POLARIS ENGINEERED ADVANTAGES**

#### **GASKETED** SEAL

Keeps drafts and moisture out. Reduces ride chatter on full glass windshields.

### **WINDSHIELDS**

### **GLASS**



### **FULL VENTED WINDSHIELD - GLASS**

- Double layer laminated, tempered glass windshield with steel powder-coated frame and center adjustable vent
- » 2884756

TRAIL S '21-24, TRAIL '21-24



### **WINDSHIELD WIPER-WASHER KIT**

- · Simple to control, featuring a multi-speed dash-mounted rocker switch
- · Includes a washer fluid reservoir
- » 2884755

TRAIL S '21-24, TRAIL '21-24 Compatible with glass windshield only

### HARD COAT POLY



### **FULL VENTED WINDSHIELD -**HARD COAT POLY

- Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate
- · Full protection with airflow vents that quickly open for cockpit ventilation
- » 2884911

TRAIL S '21-24, TRAIL '21-24



### C SHIE FULL WINDSHIELD -HARD COAT POLY

- Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate
- · No frame design offers maximum visibility
- Integrates with all cab components
- » 2884757

TRAIL S '21-24, TRAIL '21-24



### TIP OUT WINDSHIELD -HARD COAT POLY

- · Hard coated polycarbonate panel windshield that offers three positions: closed, vented and full open
- Single-handed latch with gas support struts
- » 2889537


TRAIL S '21-24, TRAIL '21-24



### LR 编版 HALF WINDSHIELD -HARD COAT POLY

- · Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate
- Provides protection and airflow into the cab
- 17.8 cm tall
- » 2884768

TRAIL S '21-24, TRAIL '21-24



### **GLASS**

VS

### HARD COAT POLY

Lightweight, flexible, easy to store/remove Impact-resistant

> 30x more scratch resistance than regular poly windshields

### REAR PANEL




### **医** 5886 **POLY REAR PANEL**

- · Maintains rear visibility and reduces rear air swirl from entering the cockpit
- · Fully compatible with all accessories
- If installed, Rear Audio Pods should project backwards
- » 2884765

TRAIL S '21-24, TRAIL '21-24

### Superior optical clarity (automotive level)

Scratch-resistant Seals tight Cold weather/heavy duty



### **ALUMINUM**

### VS

### **POLY**

High protection strength Lower profile Sleek style Water run-off Pre-existing mounting features Lightweight

### **POLY**

### に いまました POLY SPORT ROOF

- Rigid, injection-molded design to eliminate warping in high-heat conditions
  - Integrated mounting locations for lighting
- Rugged, textured polyethylene construction for impact and abrasion resistance

COLOR	PART NUMBER
MATTE BLACK	2884729

TRAIL S '21-24, TRAIL '21-24 STANDARD ON ULTIMATE TRIM

### COLOR PART NUMBER

· Seals to the roll cage for the best protection, while

Strong and durable aluminum construction for

seamlessly integrating with other RZR accessories

**ALUMINUM** 

**ALUMINUM ROOF** 

MATTE BLACK 2884761-458
INDY RED 2884761-293

long-lasting, reliable protection

TRAIL S '21-24, TRAIL '21-24



### **CANVAS UPPER DOORS**

- Pre-loaded tubular aluminum frame provides a tight seal along the roll cage
- Zip-down vinyl windows offer increased comfort in warmer conditions
- Zippered access ports for easy ingress and egress

» 60" • 2884733 TRAIL S '21-24

» 50" • 2884758 NOTSHOWN
TRAIL '21-24

### **ALUMINUM LOWER HALF DOORS**

- Single-piece stamped aluminum maximizes quality, fit and finish
- Gasket design eliminates rattling and creates a firm seal
- » 2879510 TRAIL S '21-24



> AUDIO

Rockford Fosgate partnered with Polaris to create the next evolution of factory-installed off-road audio. Purpose built to stand up to any outdoor environment and designed to perform no matter the ride. Specifically tuned and rider-centric to create a class-leading audio experience that is second to none.

### **BUILD YOUR SOUND**

(CHOOSE THE PATH THAT MATCHES YOUR RZR)

### **FACTORY-INSTALLED**

### **SKIP TO STEP 2**



TRAIL & TRAIL S ULTIMATE

RIDE COMMAND + FRONT SPEAKERS

### **NO FACTORY AUDIO**

### STEP 1

### 7" DISPLAY POWERED BY RIDE COMMAND\*

2884072

TRAIL S '21-24, TRAIL '21-24

MOUNT KIT REQUIRED 2884731

TRAIL S '21-24 TRAIL '21-24

SEE P. 94 FOR FULL RIDE COMMAND DETAILS



#### **STAGE 3 RIDE COMMAND AUDIO KIT**

2884914

TRAIL S '21-24, TRAIL '21-24

OR

### SELECT HEAD UNIT & ADD AUDIO

### **STAGE 1 PMX AUDIO KIT**

2884912

TRAIL S '21-24, TRAIL '21-24 MOUNT KIT INCLUDED

### STEP 2

### **UPGRADE AUDIO**

### **FACTORY AUDIO STAGE 3 UPGRADE**

25.4 CM SUBWOOFER UPGRADE 2884917

TRAIL S '21-24, TRAIL '21-24 NOT COMPATIBLE WITH STAGE 1 PMX OR STAGE 3 RIDE COMMAND

AUDIO KITS

+ / OR

### **REAR SPEAKER PODS**

2883945

TRAIL S '21-24, TRAIL '21-24

REAR SPEAKER POD AUDIO HARNESS 2415652

TRAIL S '21-24, TRAIL '21-24 REQUIRED TO ADD PODS TO FACTORY AUDIO

### **REAR SPEAKER PODS**

2883945

TRAIL S '21-24, TRAIL '21-24

REAR SPEAKER POD AUDIO HARNESS 2415652

TRAIL S '21-24, TRAIL '21-24

REQUIRED TO ADD PODS TO STAGE 1 OR STAGE 3



### 7" DISPLAY POWERED **BY RIDE COMMAND\***

» 2884072

TRAIL S '21-24, TRAIL '21-24 STANDARD ON ULTIMATE MODELS Requires Mount Kit (2884731)

SEE P. 94 FOR FULL RIDE COMMAND DETAILS



#### **STAGE 1 PMX AUDIO KIT**

- 6.86 cm full color display
- AM/FM/WB tuner w/ antenna
- · Bluetooth connectivity · Includes mount kit
- Two front 16.5 cm coaxial speakers with enclosures
- » 2884912

TRAIL S '21-24, TRAIL '21-24 NOT COMPATIBLE WITH ULTIMATE TRIM



### **AUDIO KIT**

FRONT SPEAKERS & SUBWOOFER

- 200 watt 25.4 cm subwoofer with enclosure
- 400 watt full range amplifier
- Two 50 watt 16.51 cm component speakers with enclosures
- » 2884914

TRAIL S '21-24. TRAIL '21-24 NOT COMPATIBLE WITH ULTIMATE TRIM or Stage 1 PMX Audio Kit



### **FACTORY AUDIO STAGE 3 UPGRADE**

25.4 CM SUBWOOFER **UPGRADE** 

- 200 watt 25.4 cm subwoofer with enclosure
- Powered by 400 watt full range factory amplifier
- » 2884917

TRAIL S '21-24, TRAIL '21-24 ONLY COMPATIBLE WITH **ULTIMATE TRIM** 



### **REAR SPEAKER PODS**

USE WITH STAGE 1 OR STAGE 3

- 50 watt 16.51 cm coaxial speakers with can-enclosures, mounting hardware and grilles
- Audio Harness (2415652) required, sold separately
- » 2883945

TRAIL S '21-24. TRAIL '21-24

\*Due to ongoing supply chain issues, there may be delayed or limited availability of this product as an accessory add-on.

### **BUMPERS**



FRONT HIGH COVERAGE BUMPER

• Durable, powder-coated 4.45 cm tube steel

PART NUMBER

2884732-293

with sleek profile for full coverage

with headlight protection

COLOR

• Does not cover Accent Lights

MATTE BLACK 2884732-458

TRAIL S '21-24, TRAIL '21-24

Not compatible with Glacier Pro Plow Mount (2884764)

### FRONT LOW PROFILE BUMPER

 4.45 cm powder-coated steel tubing provides impact protection and aggressive styling

> VEHICLE PROTECTION

COLOR	PART NUMBER
MATTE BLACK	2884019-458
INDY RED	2884019-293

TRAIL S'21-24, TRAIL'21-24



### FRONT WINCH BUMPER

- Elevated mounting location on bumper for easy access to 2,041 kg winch
- Requires winch (2885127, 2885126), sold separately


COLOR	PART NUMBER
MATTE BLACK	2884868-458
TRAIL S '21-24	, TRAIL '21-24



• Bumper extension quickly attaches to rear ROPS to provide additional taillight protection

COLOR	PART NUMBER
MATTE BLACK	2884734-458
TRAIL S '21-24	4. TRAIL '21-24

### **ER FLARES**



#### **152.4 CM STYLE FENDER FLARES**

- Stock replacement for Trail S
- · Includes four, front and rear
- » 2879434

TRAIL S '21-24, TRAIL '21-24



### **FULL COVERAGE FENDER FLARES**

- Keep the mud, dirt and debris from launching off the tires and into your face
- Includes two, front only
- » 2881985

TRAIL S '21-24, TRAIL '21-24

### **ROCK SLIDERS**



### **LOW PROFILE**

COLOR	PART NUMBER
MATTE BLACK	2879498-458
INDY RED	2881587-293

TRAIL S '21-24, TRAIL '21-24



### **EXTREME KICK-OUT**

COLOR	PART NUMBER
MATTE BLACK	2879456-458
INDY RED	2881586-293

COLOR	PART NUMBER
MATTE BLACK	2879456-458
INDY RED	2881586-293
TRAIL S '21-24,	ΓRAIL '21-24

### **ANCHOR MOUNTS**

Tougher than conventional nuts and bolts, Expansion Anchor Mounts are engineered into every RZR, allowing for a fast install.

### **BUMPER ANCHOR PACK**

- · Four anchors and two bumper end caps included
- » 2205114





UNEXPANDED

EXPANDED









### 区場話 48 L COOLER BOX

- One-piece, rotomolded construction for extreme durability
- Lid locks securely in place with rubber latches to protect cargo
- Heavy-duty hinges and weatherproof seal block moisture and dust
- · Keeps food and beverages cool for 48+ hours, depending on conditions
- UV-fade resistant
- Installs quickly and easily without tools
- Easy to carry with integrated grab handles
- » 2881556

TRAIL S '21-24, TRAIL '21-24

### **広** 紫紫

### 65 L CARGO BOX TOP SELLER

- Integrated rear cargo box, touting 65 L of storage
- · Secure latching lid with taut rubber strap tie-downs
- Lightweight design integrates seamlessly into the rear cargo bed
- Includes all mounting hardware for complete installation
- » 2881193

TRAIL S '21-24, TRAIL '21-24

### **SPARE TIRE CARRIER**

- Mounts to rear ROPS to keep cargo bed free
- Compatible with Rear Bumper Extension (2884734-458)
- Quick installation
- » 2884762

TRAIL S '21-24, TRAIL '21-24

### **BED D-RINGS**

» 2877460 TRAIL S '21-24, TRAIL '21-24



» 2881544

TRAIL S '21-24, TRAIL '21-24





FEATURES	PRO PRO HEAVY DUTY SERIES	HD HEAVY DUTY SERIES
RAPID ROPE RECOVERY	STANDARD	NOT AVAILABLE
AUTO STOP TECHNOLOGY	STANDARD	OPTION
WINCH LINE	SYNTHETIC ROPE	STEEL CABLE
CONTROL	WIRELESS & WIRED STANDARD	WIRED STANDARD, WIRELESS OPTION
MODEL	2,041 kg	1,588 kg
TRAIL S '21-24 TRAIL '21-24	2885126	2885127

### **UPGRADE YOUR HD WINCH**

### 15 M SYNTHETIC ROPE 2,041 kg SERIES » 2879187

**REPLACEMENT PARTS** 



15 M STEEL CABLE 1,588 kg SERIES » 2878890

### **WIRELESS REMOTE**

- Up to 15 m range with LED indicator
- Direct plug & play operation
- » 2879316



### **AUTO STOP UPGRADE**

- Billet aluminum
- Replaces stock fairlead

ADD REQUIRED CABLES WINCH COVER KIT REQUIRED 2884118 TRAIL S '21-24, TRAIL '21-24

» 2881693

Synthetic Rope required





### **HEATER KIT**

- Connects to Polaris PULSE Bus Bar to provide reliable, steady heat to your cab with fan speed and temperature control
- Selectable vent positions include driver/ passenger, defrost or a combination of both
- Includes two defrost vents and two cabin vents
- Compatible with subwoofer upgrade
- » 2884735

TRAIL S '21-24, TRAIL '21-24





MAKE QUICK WORK OF SMALLER JOBS

Move snow with the tough and capable Glacier Pro HD Plow System and discover why a major snowfall can be the highlight of your week. With a robust frame, beefy poly and steel blade options, dismounting and amazing value, Glacier Pro HD is a great choice in the dead of winter.



**尽** \$\$\$\$ 168 cm POLY BLADE

Best for corrosion resistance

168 cm STEEL BLADE Best for big jobs year after year

	BUY A PLOW SYSTEM					
MODELS	STEP 1 SELECT A MOUNT MOUNT	STEP 2 SELECT A FRAME FRAME	STEP 3 SELECT A LIFT METHOD WINCH	STEP 4 SELECT A BLADE BLADES	STEP 5 SELECT ACCESSORIES ACCESSORIES	GLACIER PRO HD PLOW SYSTEM
Trail S '21-24 Trail '21-24	Glacier Pro Plow Mount 2884764	Glacier Pro HD Push Frame 2880260	Polaris Pro HD 2,041 kg Winch with Rapid Rope Recovery See P. 82 for details Polaris HD 1,588 kg Winch See P. 82 for details	Glacier Pro Plow Blade 168 cm Poly 2880269 Glacier Pro Plow Blade 168 cm Steel 2880268	168 cm Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2208864 Shear Pin 2205527 Plow Extension 2880267	System includes:  • Mount (2884764)  • Frame (2880260)  • 168 cm Poly Plow (2880269)  • Plow Markers (2872726)  » 3880017  TRAIL S'21-24, TRAIL '21-24  Requires winch

# > LIGHTING & ELECTRICAL

### 

#### RIGID SR-SERIES 81 CM COMBO LED LIGHT BAR

» LIGHT BAR » MOUNT (REQUIRED) 2884648 2884650

TRAIL S '21-24, TRAIL '21-24 TRAIL S '21-24, TRAIL '21-24

» HARNESS (REQUIRED) 2884657

TRAIL S '21-24, TRAIL '21-24

### **ADDITIONAL LIGHTING OPTIONS** SEE P. 92



### **PLUG & PLAY ELECTRICAL**

**POLARIS PULSE IS A REVOLUTIONARY** 

way to provide power to your vehicle, and makes adding electrical accessories a snap.



### POLARIS PULSE UNDERHOOD BUS BAR - 6 POSITION

- If upgrading to have more than three accessories attaching to the underhood PULSE location, replace the 3 Position Bus Bar with the 6 Position Bus Bar
- » 2884183

TRAIL S '21-24, TRAIL '21-24

## >TRACKS





### **PROSPECTOR PRO 2.0 TRACK SYSTEM**

### TRACKS

» 2889487

TRAIL S '21-24, TRAIL '21-24 COMPATIBLE WITH PREMIUM/ULTIMATE ONLY

Plow Extension (2880267) required for using a plow with tracks Only compatible with Glacier Pro HD System

### MOUNTS

» 50" MODELS 2880648

TRAIL '21-24 TI

2880649 TRAIL S '21-24

» 60" MODELS

### 1 INDUSTRY-FIRST FLEX-TRACK DESIGN

Front-mounted tracks with flexible sides and a slight inward curve allow for stable handling, a more comfortable ride and precise steering over long-distances or extended working hours.

### 4 TANDEM STABILIZER

The bolt-on, tandem mid-roller wheel provides a smoother ride by absorbing shocks.

### 2 HIGH-DENSITY TIRE WITH ADJUSTED SHAPE

With puncture-proof tires that reduce friction and wear, the Prospector Pro 2.0 Tracks deliver trouble-free performance.

Confidently take on bumps and obstacles with 8" high-density tracks.

### 5 BEARING HOUSING

Outer seals and stainless steel sleeves allow stronger bearing durability and greater reliability.

### 3 LIGHTWEIGHT POWDER COAT STEEL FRAME

Proven geometry to improve durability and deliver capability in all conditions throughout the life of the tracks.

A lighter frame provides more flotation to stay on top of the snow and allows the tracks to easily shed the elements they encounter.

### 6 WHEEL CAP & SEAL

A fitted wheel cap with bladder effect eliminates water absorption due to temperature variation. Ride in snow or mud without worrying about track maintenance.

### **COMBO** ALL-AROUND VERSATILITY FOR ANY RIDING TERRAIN, CONDITION OR WORK APPLICATION • Beam: Combination of flood and spot optics • Recommended Mounting: All points ALL • Ideal for all-around distance visibility **SPOT BEST FOR TIGHT RIDING TERRAINS** AND CONDITIONS REQUIRING LONG-DISTANCE VISIBILITY • Beam: Concentrated long beam • Recommended Mounting: High • Ideal for high speeds so you can see and react to your environment **FLOOD BEST FOR WIDE-OPEN TERRAINS OR WORK APPLICATIONS REQUIRING BROAD LIGHT** • Beam: Wide, shorter SLOW TO MEDIUM • Recommended Mounting Low & rear $\bullet$ Ideal for medium speeds when peripheral vision is important **DRIVING GREAT FOR ALL RIDING** STYLES, TERRAINS OR WORK **APPLICATIONS** SLOW TO MEDIUM • Beam: Extra-wide, moderate center intensity • Recommended Mounting: All points **ACCENT DIFFUSED COLORED LIGHT ADDED** FOR STYLE & PERSONALIZATION • Durable, dust and water resistant construction • Ideal for showcasing your lifted vehicle or ALL custom suspension

OPTICS USAGE

DRIVING SPEED

LIGHT ANGLE

WHEELS & TYRES

### ADVANCED TECH

**LIGHT BAR TYPES** 

RIGID lights are driven by Aluminum PCB Smart Boards, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac UV protection polyester powder-coating.

### EXCLUSIVE OPTICS

RIGID invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.



### **SR-SERIES PRO**

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage.


Available in 25.4 cm & 81.3 cm



### **D-SERIES PRO**

Compact to fit almost anywhere with high output and low energy usage.

Available in Driving, Flood & Spot







### ACCENT LIGHTS TOP SELLER

- Includes a pair of front fascia accent lights and a rear, center taillight (rear light with kit only)
- Durable dust and waterproof construction
- » FRONT/REAR KIT 2884053
  TURBO S/4 '19-21, XP TURBO/4 '19-21, XP 1000/4 '19-23
- »FRONT 2884871

TRAIL S '21-24, TRAIL '21-24, TURBO S/4 '19-21, XP TURBO/4 '19-21, XP 1000/4 '19-23

# **PRO ARMOR**

### **MAX PERFORMANCE** Validated to work as hard as your machine does

### **RUGGED** CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powder-coating.

**DOESN'T OVERTAX** 

Trust it to work when

you need it to


### **MASSIVELY BRIGHT**

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.



The most spread and farthest illumination downrange. Easy to mount.

Available in 27.9 cm & 78.7 cm



SINGLE-ROW LED


Powerful, compact, low-profile light bars with a sleek look.

Available in 27.9 cm, 50.8 cm & 83.8 cm



Small size allows mounting in strategic locations for added lighting.

**Available in Spot** 



### **ADD A HARNESS TO MOUNT YOUR LIGHTS**

LIGHT BAR SET-UPS						
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH				
TRAIL S '21-24 TRAIL '21-24	LIGHT BAR HARNESS 2884657	LIGHT BAR HARNESS 2884657 ADAPTER HARNESS 2412616 LED Y-HARNESS 2879860				
PRO R / 4 '22-24 PRO XP / 4 '20-24 TURBO R / 4 '22-24	LIGHT BAR HARNESS 2883949 Adapter Harness 2412616	LIGHT BAR HARNESS 2883949 Adapter Harness 2412616 Led Y-Harness 2879860				
XP / 4 '24	NEW LIGHT BAR HARNESS 2889291	NEW LIGHT BAR HARNESS 2889291 ADAPTER HARNESS 2412616 LED Y-HARNESS 2879860				

### **LIGHT BAR MOUNT**

- Optional cast mount for added style
- Compatible with all Pro Armor light bars
- »2890053

### **ADDITIONAL LIGHT BAR OPTIONS**

PRO R, TURBO R & PRO XP | SEE P. 32 XP | SEE P. 56









LIGHTING

ELS & TYRES

COCKPIT ACCESSORIES & MIRRORS

WINCHES

ADDITIONAL ACCESSORIES & YOUTH





### **KNOW YOUR TIRES**

DIMENSIONS	USAGE	TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
<b>32" × 9" R15</b> Part Number	FRONT/ REAR	<b>30</b> mm	<b>18</b> kg	10	3	<b>499</b> kg
TYRE TYRE WHEEL HEIGHT WIDTH DIAMETER	Where can you use the tyre	Deeper treads have more grip in all conditions	A lighter tire makes for improved vehicle performance	Indicates tyre puncture-resistance	Increase your resistance to sidewall punctures	How much weight can the tyre handle

### WAYS TO SHOP >>>

### TYRES BY SIZE



26"	27"	28"	29"	30"	32"	33"
ATTACK	MUD XC	ATTACK 2.0	DUAL-THREAT	ATTACK 2.0	ATTACK 2.0	CRAWLER XG
DUAL-THREAT	TREKKER	CRAWLER XG	HD-K	CRAWLER AT	CRAWLER AT	CRAWLER XR
TREKKER	WHITEOUT	CRAWLER XR	MUD XC	CRAWLER XG	CRAWLER XG	PRO RUNNER
1000			TREKKER	CRAWLER XP	CRAWLER XP	TREKKER
				CRAWLER XR	CRAWLER XR	
300		S (A) 10		MUD XC	DUAL-THREAT	Me To the
				PRO RUNNER	MUD XT	
7.5			12	TREKKER	PRO RUNNER	N yelle
				SAND 12XT	TREKKER	
CYS.		· ·	100	SAND 16XT	SAND 16XT	
				WHITEOUT		



### LIFELONG **PERFORMANCE**

- Every tyre is designed and constructed with longevity in mind
- 3,000+ mile rated (4,828 kilometers)

- Pro Armor makes tyres with extra protection exactly where it's needed most - the sidewall
- Triple-belted sidewalls keep your tyres more resistant so you can keep going

# TOUGH

- Higher ply ratings mean added protection
- Pro Armor builds 8 or 10-ply rated tyres for higher puncture-resistance

### **KNOW YOUR TERRAIN**



- Tread patterns optimized for extreme traction
- Ideal for both hard pack & loose trail



- Extra deep treads
- Self-cleaning lugs



- Provides traction & durability
- Performs in hard sand, jagged rocks or any extreme terrain



- Paddles provide traction and durability in soft sand
- · Built to float on top of sand



- Flexible "grippy" tread
- Aggressive side bite



- Handles extreme cold
- Holds shape & provides traction

### **KNOW YOUR WHEELS**

### **STEP 1: SELECT YOUR SERIES**

**4** = 40-SERIES **5** = 50-SERIES **6** = 60-SERIES

### **STEP 2: CHOOSE YOUR LOAD RATING**

1 = < 362.9 KG 2 = 363 - 589.7 KG 3 = 590 - 726+ KG

### **STEP 3: PICK YOUR STYLE**

OFFSET / BEADLOCK / COLOR

INCREASE OFFSET FROM STOCK = NARROWER STANCE **DECREASE OFFSET FROM STOCK = WIDER STANCE** 

### **TYRES BY TERRAIN**

TRAIL	ROCK	DESERT	MUD	SAND	業 SNOW
ATTACK	ATTACK 2.0	ATTACK	MUD XC	SAND 12XT	ATTACK
ATTACK 2.0	CRAWLER AT	ATTACK 2.0	MUD XT	SAND 16XT	ATTACK 2.0
CRAWLER AT	CRAWLER XG	CRAWLER AT			HD-K
CRAWLER XG	CRAWLER XP	CRAWLER XG			WHITEOUT
CRAWLER XP	CRAWLER XR	CRAWLER XP			
CRAWLER XR	DUAL-THREAT	CRAWLER XR			
DUAL-THREAT	PRO RUNNER	DUAL-THREAT			
HD-K		PRO RUNNER			
MUD XC					
PRO RUNNER					
TREKKER					

### WHEELS BY SIZE

14"	15"	16
40-SERIES	50-SERIES	60-SERIES
(18 TYRE OPTIONS)	(28 TYRE OPTIONS)	(1 TYRE OPTION)
4201	5101	6301 BEADLOCK
4202	5201	
4203 BEADLOCK	5202	
4204	5203 BEADLOCK	
4205	5204	
4206	5205	
4301BEADLOCK	5206	
4302 BEADLOCK	5207	
4303	5208	
HD DUAL BEADLOCK	5301BEADLOCK	
	5302 BEADLOCK	
	5303	
	5304 BEADLOCK	
	5305 BEADLOCK	
	5306	
	5307	
	5307 BEADLOCK	

# >TYRES









### **PRO ARMOR ATTACK 2.0**

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight thread pattern for quieter ride

			DEPTH	WEIGHT	RATING	BELTS	RATING
15"	<b>28" × 10" R15</b> 5416344			15 kg			<b>499</b> kg
15"	<b>30" × 10" R15</b> 5416345	FRONT/ REAR		17 kg	10	3	<b>560</b> kg
15"	<b>32" × 10" R15</b> 5418252			20 kg			630 kg



### ATTACK 2.0

TIGHTER TREAD PATTERN =

Better traction in hard-pack

**DUAL-DUROMETER LUG =** 

Increased grip & traction in rough terrain, smoother ride in all terrain

**10-PLY RATED =** Increased durability

LARGER 28" - 32" SIZES =

More ground clearance & trail traction







### **PRO ARMOR ATTACK**

- $\bullet$  The best all-purpose tyre for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tyre life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>26" × 9" R14</b> 5415613	FRONT	23mm	13 kg		3	<b>413</b> kg
14"	<b>26" × 11" R14</b> 5415614	REAR	ZJmm	15 kg	8	3	<b>599</b> kg











### **PRO ARMOR DUAL-THREAT**

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14	<b>26" × 9" R14</b> 5416340	FRONT		12 kg			<b>413</b> kg
14-	<b>26" × 11" R14</b> 5416341	REAR		14 kg			504 kg
14-	<b>29" × 9" R14</b> 5416342	FRONT	16 <sub>mm</sub>	14 kg	10	3	504 kg
14	<b>29" × 11" R14</b> 5416343	REAR		16 kg			599 kg
15	<b>32" × 10" R15</b> 5416753	FRONT/ REAR		17 kg			902 kg



# DUAL-COMPOUND = MORE GRIP + LONGER LIFE

Firmer Durometer Rubber = Longer Life



Softer Durometer Rubber = More Grip







### **PRO ARMOR PRO RUNNER**

- Designed to be lightweight, high-performance and quicker in corners/flats
- $\bullet$  Triple-belted sidewalls offer extra protection where it's needed the most
- $\bullet$  Lug separation provides a great grip and an easy clean in mud and sand

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	<b>30" × 9" R15</b> 5417531			13 kg			531 kg
15"	<b>32" × 9.5" R15</b> 5417532	FRONT/ REAR	14 <sub>mm</sub>	<b>16</b> kg	8	3	630 kg
15	<b>33" × 9.5" R15</b> 5417533			17 kg			671 kg

#### FRONT/REAF





>TYRES





### PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest a trail has to offer

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>28" × 10" R14</b> 5415536			15 kg			517 kg
15"	<b>30" × 10" R15</b> 5418254	FRONT/	16 <sub>mm</sub>	16.8 kg	8	-	581 kg
15"	<b>32" × 10" R15</b> 5416114	REAR	IOMM	18 kg	0	3	630 kg
15"	<b>33" × 10" R15</b> 5417174			18 kg			630 kg











### PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			DEPTH	NEIGHT	PLY RATING	BELTS	LUAD RATING
15"	<b>30" × 10" R15</b> 5417534	FRONT/	18 <sub>mm</sub>	16 kg		7	580 kg
15"	<b>32" × 10" R15</b> 5417535	REAR	IOMM	18 kg	0	3	<b>630</b> kg

#### FRONT/REAL



### **WHAT CRAWLER ARE YOU?**



### XK

### SINGLE DUROMETER

- Smaller lug height and single durometer gives this high-speed tyre added rigidity and lateral stability when cornering
- Unique lug design excels in hardpack, fast terrain



## AT

### DIRECTIONAL LUG PATTERN

- The same taller lug height as Crawler XG, providing more grip and better traction
- Wider lug spacing for excellent mud clean-out







### **PRO ARMOR CRAWLER XG**

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tyre ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14	<b>30" × 10" R14</b> 5415616			17 kg			581 kg
14"	<b>32" × 10" R14</b> 5416113			19 kg			644 kg
15	<b>28" × 10" R15</b> 5416346			<b>15</b> kg			499 kg
15	<b>30" × 10" R15</b> 5416397	FRONT/ REAR	20 <sub>mm</sub>	18 kg	8	3	581 kg
15	<b>32" × 10" R15</b> 5416699			19 kg			630 kg
15	<b>33" × 10" R15</b> 5418255			<b>20</b> kg			690 kg
16	<b>32" × 10.5" R16</b> 5416401			20 kg			644 kg









# PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15	<b>30" × 10" R15</b> 5418329		00	17 kg		,	580 kg
15	<b>32" × 10" R15</b> 5418110	REAR	20 <sub>mm</sub>	<b>19</b> kg	8	3	630 kg







# XG

### DUAL-DUROMETER

- Taller lug height and dual-durometer construction
- Perfect balance between high-speed performance, durability and flex in order to grip slick rock



### XP

### DUAL-DUROMETER

- Channeled outer lugs for superior handling in soft dirt and clay
- Extended side lugs for greater traction on rocks and in sand

# **WHAT PADDLE ARE YOU?**



>TYRES

### 12 PADDLE

- 30" (Non-turbo RZR models)
- Fewer paddles for non-turbo/ lower HP applications
- Perfect grip balance to maintain wheel speed



### **16 PADDLE**

- 30" (Turbo RZR models)
- 32" (Turbo S and Velocity)
- Plenty of aggressive paddles for high HP vehicles
- Superior grip for wide-open sand riding



FRONT

REAR

### **PRO ARMOR SAND 12XT**

- Unique 3-tier concave design on front tyres
- Wider rear tyres for more traction, plus better grip and flotation on the sand
- 12 paddles for optimized performance on non-turbo models
- 28mm paddle depth specifically designed for increased traction, while limiting sand throw

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14	<b>30" × 11" R14</b> 5415251	FRONT	12.8 <sub>mm</sub>	10 kg	8	2	388 kg
14	<b>30" × 13" R14</b> 5416949	REAR	28 <sub>mm</sub>	11 kg	4	2	476 kg





FRON

REAR

### **PRO ARMOR SAND 16XT**

- Unique 3-tier concave design on front tyres
- Wider rear tyres with additional paddles for more traction, better grip and flotation on the sand

DLV CIDEWALL

- 16 paddles for optimized performance and traction on turbo models
- $\bullet \ 28 mm \ paddle \ depth \ specifically \ designed \ for \ increased \ traction, \ while \ limiting \ sand \ throw$

			DEPTH	WEIGHT	RATING	BELTS	RATING
15"	<b>30" × 11" R15</b> 5416951	FRONT	13 <sub>mm</sub>	10 kg			388 kg
15"	<b>30" × 14" R15</b> 5416953	REAR	28 <sub>mm</sub>	15 kg	4	2	420 kg
15"	<b>32" × 12" R15</b> 5416952	FRONT	13 <sub>mm</sub>	<b>12</b> kg	4	2	463 kg
15	<b>32" × 15" R15</b> 5416950	REAR	28 <sub>mm</sub>	16 kg			581 kg









# PRO ARMOR TREKKER

- Specialized tread design provides a quiet ride
- Graduated lug depth maximizes the contact patch for ultimate predictability
- 8-ply, triple belted nylon construction

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	<b>26" × 10" R12</b> 5418673			13 kg		_	<b>463</b> kg
14"	<b>27" × 10" R14</b> 5418674			13 kg			490 kg
14"	<b>29" × 10" R14</b> 5418675	FRONT/	11–17mm graduated	<b>15</b> kg			<b>547</b> kg
15"	<b>30" × 10" R15</b> 5418676	REAR		15 kg	8	3	560 kg
15	<b>32" × 10" R15</b> 5418677			17 kg			<b>631</b> kg
15"	<b>33" × 10" R15</b> 5418678			18 kg			690 kg



### **PRO ARMOR MUD XC**

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tyre life
- 10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>27" × 9" R14</b> 5416947	FRONT		14 kg			531 kg
14"	<b>27" × 11" R14</b> 5416948	REAR	30 <sub>mm</sub>	14.5 kg	10	3	<b>599</b> kg
14"	<b>29" × 10" R14</b> 5416946	FRONT/		18 kg		3	<b>41</b> kg
15"	<b>30" × 10" R15</b> 5418253	REAR		18 kg			581 kg





### **PRO ARMOR MUD XT**

- Aggressive traction in the mud
- Dual-compound technology with harder durometer lugs to promote extended wear and increase tyre life
- $\bullet$  10-ply construction for added protection in the toughest terrain

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	<b>32" × 9" R15</b> 5417530	FRONT/ REAR	30 <sub>mm</sub>	18 kg	10	3	599 kg





# TYRES FOR ALL TERRAINS

COMMON ACCESSORIES







### **PRO ARMOR HD-K**

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tyre life
- Quad belt tread core offers superior protection and longer tread life

14"	29" × 10" R14	FRONT/	DEPTH	WEIGHT	RATING	BELTS 3/1	RATING	
W	5417507	REAR	31.75 <sub>mm</sub>	18 kg	10	Aramid	<b>599</b> kg	





### PRO ARMOR WHITEOUT

- Extra wide tyres for flotation in snow
- Cross-hatched tread pattern designed for superior snow traction with limited digging
- 2-ply sidewall designed to balloon for maximum use of its 15" wide contact patch
- Stud compatible

			TREAD DEPTH	TYRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14.	<b>27" × 14" R14</b> 5416032	FRONT	16 <sub>mm</sub>	11 kg	8	2	<b>424</b> kg
15"	<b>30" × 15" R15</b> 5416395	FRONT/ REAR	17 <sub>mm</sub>	21 kg	2	2	531 kg



# MORE SURFACE AREA FOR BETTER FLOTATION ON SNOW

Snow-specific tyre for trails and deep powder. Features an extra wide, bias-ply construction that can run at low pressures for maximum flexibility. High-flotation performance maintains critical vehicle ground clearance in the snow.

\_\_\_\_\_








> WHEELS













BEADLOCK INCLUDED

### 50-SERIES

### **A** 6301 BEADLOCK

WEIGHT: 6.1 kg	LOAD RATING:	OFFSET: +38	
ACCENT:	FRONT/REAR	16" × 7"	1523286
MATTE BLACK:	FRONT/REAR	16" × 7"	1523285

### **REPLACEMENT CAPS**

### **POLARIS CAPS**

H D BUTY	ALL 4-LUG WHEELS	5457498-458
MATTE BLACK	ALL 4-LOO WIILLES	3437430-430



### PRO ARMOR CAPS

ALL 4-LUG WHEELS EXCEPT 5203	5453209-410
BEADLOCK, 5204, 5305 BEADLOCK	5453209-458
5007 DE A DI 001/	1523015-410
5203 BEADLOCK	1523015-458
5204	1523063-458
5206, 5207/5303 & <b>5</b>	5457756-458
5305 BEADLOCK	1525502-458
	EXCEPT 5203 BEADLOCK, 5204, 5305 BEADLOCK  5203 BEADLOCK  5204  5206, 5207/5303 & 6 5302 BEADLOCK

#### **LUG NUTS** O LUG NUTS REQUIRED

12mm x 1.5 SPL	TINED LOG NO 12	
16 LUG NUTS WITH WRENCH	PRO XP/4 '21-24, XP/4 '24, TRAIL/S '21-24, TURBO S '18-21.	2879332
4 LUG NUTS WITHOUT WRENCH	TURBO S 4 '20-21, XP TURBO/4 '19-21,	2879331
SPLINED LUG WRENCH	XP 1000/4 '14-23, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20	2204966

### **BEADLOCK RINGS**

### 15" BEADLOCK RINGS

5203 BEADLOCK (Includes Bolts) MACHINED: 1522240-266 5301 BEADLOCK REPLACEMENT MATTE BLACK: 1523147-458



### 14" BEADLOCK RINGS

4203 BEADLOCK & HD DUAL BEADLOCK (Includes Bolts) 1522244-266 MACHINED: 4301 BEADLOCK REPLACEMENT & HD DUAL BEADLOCK MATTE BLACK: 1523146-458

### **4** 5101 **4**

WEIGHT: 6.6 kg	LOAD RATING:	OFFSET: -	
MATTE BLACK:	FRONT/REAR	15"×10"	1523149-458

### **3** 5201

WEIGHT: 7.8 kg	LOAD RA	LOAD RATING: 590 kg	
ACCENT:	FRONT/REAR	15" × 7"	1523184-266
MATTE BLACK:	FRONT/REAR	15" × 7"	1523184-458

### **9** 5202

WEIGHT: 8.1 kg	LOAD RATING: 590 kg		OFFSET: +4
ACCENT:	FRONT/REAR	15" × 7"	1523102-266
MATTE BLACK:	FRONT/REAR	15" × 7"	1523102-458

### ■ 5203 BEADLOCK ○ ○

WEIGHT: 7.3 kg	LUAD R	OFFSET: +38	
MATTE BLACK:	FRONT/REAR	15" × 7"	1522435-458

### **3 5204 O**

WEIGHT: 6.1 kg	LOAD RATING: 590 kg		OFFSET: +55
MATTE BLACK:	FRONT/REAR	15"×7"	1522550-458

### **5205**

FRONT WEIGHT		LOAD RATING: 408.2 kg	OFFSET: -4
REAR WEIGHT		LOAD RATING: 408.2 kg	OFFSET: -38
MATTE BLACK:	FRONT	15" × 8"	1523727-458
	REAR	15" × 10"	1523728-458

### **6** 5206 **5**

WEIGHT: 6.1 kg	LOAD RATING: 590 kg		OFFSET: +55
MATTE BLACK:	FRONT/REAR	15" × 7"	1524041
ONLY COMPATIBLE W	TH PRO R/4 & TURBO R/	4	

### **1** 5207/5303 **5**

FRONT WEIGHT		LOAD RATING: 590 kg LOAD RATING: 590 kg	OFFSET: -4 OFFSET: -38
MATTE BLACK:	FRONT	15" × 8"	1524043
	REAR	15"×10"	1524042
ONLY COMPATIRE	F WITH PR	O R/A & TURRO R/A	

### **1** 5208

WEIGHT: 5.8 kg	LOAD RATING:	OFFSET: +55	
MATTE BLACK:	FRONT/REAR	15" × 7"	1525454

### 5301 BEADLOCK

WEIGHT: 7.7 kg	LOAD RA	OFFSET: +38	
ACCENT:	FRONT/REAR	15" × 7"	1523282
MATTE BLACK:	FRONT/REAR	15" × 7"	1523266

### 

WEIGHT: 6.1 kg	LOAD RATING: 590 kg		OFFSET: +55
MATTE BLACK:	FRONT/REAR 15" × 7"		1524038
ONLY COMPATIBLE	WITH PRO R/4 & T	URBO R/4	

#### NISW 5304 BEADLOCK

WEIGHT: 7.3 kg	LOAD RATING: 726 kg		OFFSET: +62
MATTE BLACK:	FRONT/REAR	15" × 7"	1525420
ONLY COMPATIBL	E WITH PRO R/4 & TI	JRBO R/4	

### 1 5305 BEADLOCK

WEIGHT: 8.4 kg	LOAD RATING: 748 kg		OFFSET: +38
MATTE BLACK:	FRONT/REAR	15" × 7"	1525455

### N=W 5306 5

WEIGHT: 6.8 kg	LOAD R	OFFSET: +62			
MATTE BLACK:	FRONT/REAR	15" × 7"	1525684		
ONLY COMPATIBLE WITH PRO R/4 & TURBO R/4					

#### NEW **0** 5307 **5**

WEIGHT: 7.3 kg	LOAD RATING: 789 kg		OFFSET: +62
MATTE BLACK:	FRONT/REAR	15" × 7"	1525686
ONLY COMPATIBLE	E WITH PRO R/4 & T	URBO R/4	

#### 5307 BEADLOCK

WEIGHT: 8.2 kg	LOAD RA	ATING: 789 kg	OFFSET: +62
MATTE BLACK:	FRONT/REAR	15" × 7"	1525688
ONLY COMPATIBLE	E WITH PRO R/4 & T	URBO R/4	

Wheels with 5 Lug Nuts. Only compatible with Pro R/4 & Turbo R/4.





























INNER & OUTER BEADLOCK INCLUDED

# 14"

### 40-SERIES

### 

FRONT WEIGHT		LOAD RATING: 408.2 kg LOAD RATING: 590 kg	OFFSET: +9 OFFSET: +9
ACCENT:	FRONT	14" × 7"	1522956-266
	REAR	14"×8"	1522957-266
MATTE BLACK:	FRONT	14" × 7"	1522956-458
	REAR	14" × 8"	1522957-458
NUT CUMBATIRI E	WITH YP 10	0.017 1/1020 VP TIIDRO // 12_10	

### **3** 4202 O

REAR WEIGHT		LOAD RATING: 408.2 kg LOAD RATING: 590 kg	OFFSET: +4 OFFSET: -9
ACCENT:	FRONT	14" × 7"	1522544-266
	REAR	14" × 8"	1522545-266
MATTE BLACK:	FRONT	14" × 7"	1522544-458
	REAR	14" × 8"	1522545-458
NOT COMPATIBLE WITH XP 1000/4 '18-24, XP TURBO/4 '18-19			

### **©** 4203 BEADLOCK ○ ○

FRONT WEIGHT		LOAD RATING: 408.2 kg LOAD RATING: 590 kg	OFFSET: +4 OFFSET: -9
MATTE BLACK:	FRONT	14" × 7"	1522238-458
	REAR	14" × 8"	1522239-458

### **1** 4204 **0**

FRONT WEIGHT: 5.9 kg REAR WEIGHT: 6.4 kg		LOAD RATING: 408.2 kg LOAD RATING: 590 kg	OFFSET: +4 OFFSET: -9	
ACCENT:	FRONT	14" × 7"	1522546-266	
	REAR	14" × 8"	1522547-266	
MATTE BLACK:	FRONT	14" × 7"	1522546-458	
	REAR	14" × 8"	1522547-458	

### **3** 4205 O

FRONT WEIGHT: 4.8 kg		LOAD RATING: 408.3 kg	OFFSET: +4		
REAR WEIGHT: 5.7 kg		LOAD RATING: 590 kg	OFFSET: -9		
MATTE BLACK:	FRONT	14" × 7"	1521507-521		
	REAR	14" × 8"	1521508-521		
LUSTER:	FRONT	14" × 7"	1521507-410		
	REAR	14" × 8"	1521508-410		

### **1** 4206 O

REAR WEIGHT		LOAD RATING: 408.2 kg LOAD RATING:	OFFSET: +4 OFFSET: -9	
MATTE BLACK:	FRONT	14" × 6"	1522542-458	
	REAR	14" × 8"	1522543-458	

### **6** 4301 BEADLOCK

WEIGHT: 7.3 kg	LOAD RA	OFFSET: +38	
ACCENT: MATTE BLACK:	FRONT/REAR FRONT/REAR	14" × 7" 14" × 7"	1523284 1523283
NOT COMPATIBLE	WITH XP 1000/4 '18-	24, XP TURBO/4 '18-1	9

### U 4302 BEADLOCK

WEIGHT: 18.1 kg	LOAD	OFFSET: +58		
MATTE BLACK:	FRONT/REAR	14" × 7"	5418036	

### **1** 4303

WEIGHT: 18.1 kg	LOAD	<b>RATING:</b> 725.7 kg	OFFSET: +58		
MATTE BLACK:	FRONT/REAR	14" × 7"	5418037		

### **U HD DUAL BEADLOCK**

WEIGHT: 18.1 kg	LOAD R	ATING: 725.7 kg	OFFSE1: +28		
MATTE BLACK:	FRONT/REAR	14" × 7"	1524022-458		

### **KNOW YOUR WHEELS**

**STEP 1: SELECT SERIES** 

**4 =** 40-SERIES **5 =** 50-SERIES **6 =** 60-SERIES

**STEP 2: CHOOSE LOAD RATING** 

1=<362.9 KG 2=363-589.7 KG 3=590-726+ KG

**STEP 3: PICK STYLE** 

OFFSET / BEADLOCK / COLOR

INCREASE OFFSET FROM STOCK = NARROWER STANCE
DECREASE OFFSET FROM STOCK = WIDER STANCE



# >WHEEL & **TYRE SETS**

# WAYS TO PURCHASE

**INDIVIDUAL WHEELS & TYRES** - OR -**COMPLETE SETS AS LISTED** 

~ \		le "grippy" tread ssive side bite		• Built 1	des traction and du to perform in hard : or any other extre	sand, jagged	COMMON ACCESSORIES
14" 40-SERIES		BACKCOUN ATTACK 26"	TRY/TRAIL DUAL-	THREAT 29"		I=W KKER 29"	SSORIE
4201 Accent	0	2882390	2883138	2883146			S
4201 Matte Black	0	2882391	2883139	2883147			
<b>4202</b> Accent	0	2881335	2883140	2883148	2890907	2890906	LIGHTING
4202 Matte Black	0	2881336	2883141	2883149	2890905	2890904	
4203 BEADLOCK Matte Black BEADLOCKS SOLD SEPARATELY	0	2881381					XHX
4204 Accent	0	2881347	2883142	2883150			EELS
4204 Matte Black	0	2881348	2883143	2883151			WHEELS & TYRES
4205 Luster	0	2881359					S
4205 Matte Black	0	2881360	2883144	2883152			0
4206 Matte Black	0	2881404	2883145	2883153			" OCKPI
4301 BEADLOCK Accent BEADLOCKS PRE-MOUNTED			2883217	2883219			COCKPIT ACCESSORIES & MIRRORS
4301 BEADLOCK Matte Black BEADLOCKS PRE-MOUNTED			2883216	2883218			)ESSO ORS
4302 BEADLOCK Matte Black BEADLOCKS PRE-MOUNTED		2889549	2889550	2889551	2890909	2890908	RIES
4303 Matte Black		2889541	2889542	2889543	2890911	2890910	

	15"		BACKCOL	JNTRY/TR	AIL			■N=W		MUD		DESERT/		CHES
	50-SERIES		28"	ATTACK 2.0 30"	32"	DUAL-THREAT 32"	30"	TREKKER 32"	33"	MUD XC 30"	MUD XT 32"	30"	LER AT 32"	
	<b>5201</b> Accent		2883160	2883169	2890201	2883694				2890209		2889510	2889518	ACCE
	5201 Matte Black		2883159	2883168	2890202	2883693				2890210		2889511	2889519	ADDITIONAL ESSORIES & YOUT
	<b>5202</b> Accent		2883158	2883167	2890203	2883696				2890211	2885052	2889512	2889520	TION,
	5202 Matte Black		2883157	2883166	2890204	2883695	2890916			2890212	2885053	2889513	2889521	AL AL
	5203 BEADLOCK Matte Black BEADLOCKS SOLD SEPARATELY	0	2883154	2883163	2890205	2883699				2890213	2885056	2889516	2889524	<del>Ī</del>
	5204 Matte Black	0	2883155	2883164	2890206	2883700				2890214	2885058	2889517	2889525	
	5206 Matte Black	<b>⑤</b>				2885015		2890925	2890930	2890842	2885019			
	5208 Matte Black	0		2890179	2890180	2890181	2890915			2890182		2890174	2890175	
	5301 BEADLOCK Accent BEADLOCKS PRE-MOUNTED		2883162	2883171	2890207	2883698	2890914			2890215	2885054	2889514	2889522	
	5301 BEADLOCK Matte Black BEADLOCKS PRE-MOUNTED		2883161	2883170	2890208	2883697	2890913			2890216	2885055	2889515	2889523	
	5302 BEADLOCK Matte Black	<b>⑤</b>				2885009		2890926	2890931	2890841	2885013			
=N=W	5304 BEADLOCK Matte Black BEADLOCKS PRE-MOUNTED	<b>5</b>			2890675					2890674			2890000	
	5305 BEADLOCK Matte Black	0					2890912							
■N=W	5306 Matte Black	<b>(5)</b>			2890933	2890934		2890922	2890927				2890942	
■NI=W	5307 Matte Black	<b>⑤</b>			2890952	2890953		2890923	2890928				2890961	
■N=W	5307 BEADLOCK Matte Black	<b>(5)</b>			2890971	2890972		2890924	2890929				2890980	

16" 60-SERIES	ROCK/RACE  CRAWLER XG 32"
6301 BEADLOCK Accent BEADLOCKS PRE-MOUNTED	2883703
6301 BEADLOCK Matte Black BEADLOCKS PRE-MOUNTED	2883702



### **PREMIUM TYRE SEALANT**

»946 ML • 2830484

» 3.8 L • 2830485

» 19 L • 2830486

»19 L PUMP • 2830487

SEE P. 136 FOR MORE INFORMATION

WINCHES

LIGHTING



Paddles provide traction and durability in soft sand
Built to float on top of sand



 Triple-belted sidewalls to resist puncture
 Purpose-built, long lasting tread patterns



Handles extreme cold Holds shape and provides traction

MUD		DESERT/ROCK			SAND
27"	D XC 29"	CRAW	LER XG 32"	CRAWLER XR 28"	SAND 12XT 30"
2884272	2884265	2882396	2882452	2882394	
2884273	2884266	2882397	2882451	2882395	
2884267	2884260	2881560	2882448	2881343	
2884268	2884261	2881561	2882447	2881344	
			2881382	2881386	
2884270	2884263	2881558	2882450	2881355	
2884271	2884264	2881559	2882449	2881356	2884034
		2881564		2881371	
2884269	2884262	2881563	2882453	2881372	
		2883211	2883215	2883213	
		2883210	2883214	2883212	
2889552	2889553	2889555	2889556	2889554	
2889544	2889545	2889547	2889548	2889546	

28"	CRAW 30"	LER XG 32"	33"		LER XP 32"	30"	CRAWLER XR 32"	33"	30"	PRO RUNNER	33"
2883188	2883179	2889986	2890191	2889950	2889958	2890183	2883194	2884744			
2883187	2883178	2889987	2890192	2889951	2889959	2890184	2883193	2884736			
2883186	2883177	2889988	2890193	2889952	2889960	2890185	2883192	2884737	2885024	2885031	2885038
2883185	2883176	2889989	2890194	2889953	2889961	2890186	2883191	2884738	2885025	2885032	2885039
2883182	2883173	2889992	2890195	2889956	2889964	2890187	2882444	2884741	2885028	2885035	2885042
2883183	2883174	2889993	2890196	2889957	2889965	2890188	2882445	2884743	2885030	2885037	2885044
		2890026	2890199		2889949	2890847	2885016	2885014	2890845	2885017	2885018
	2890166	2890167	2890168	2890169	2890170	2890171	2890172	2890173	2890176	2890177	2890178
2883190	2883181	2889991	2890197	2889954	2889962	2890189	2883196	2884739	2885026	2885033	2885040
2883189	2883180	2889990	2890198	2889955	2889963	2890190	2883195	2884740	2885027	2885034	2885041
		2890025	2890200		2889948	2890846	2885010	2885008	2890844	2885011	2885012
		2890027		2890672	2889997	2890673	2889998		2890843		
				2890152	2890153						
		2890939	2890940		2890947		2890944	2890945		2890936	2890937
		2890958	2890959		2890966		2890963	2890964		2890955	2890956
		2890977	2890978		2890985		2890982	2890983		2890974	2890975

15"	SAND				
19	SAND 16XT 30" 32"				
<b>5205</b> Matte Black	2884035	2884036			
5207/5303 (5) Matte Black		2885020			



- Lug Nuts required. See previous page for Caps, Beadlock Rings and Lug Nuts.
- Wheels with 5 Lug Nuts. Only compatible with Pro R/4 & Turbo R/4.

**VALVES** 








ORDERABLE THROUGH LOCAL DEALER ONLY

### COLBY COMBO VALVE KIT (16 PACK)

- Includes 8 ultimate and 8 emergency valves
- »2883294





#### CLICK6 HARNESS TOP SELLER

- Racing-quality, premium construction for increased security
- Six straps hold a driver securely in place in all riding conditions
- One-click, quick-release buckle releases straps, allowing easy egress
- Fully adjustable to fit riders of all sizes
- Easy to buckle and adjust, even while wearing helmet and gloves

#### 2-SEAT

- » N=W= 2890046
- » ■N=V■ 2890267

PRO R '22-24, TURBO R '22-24, PRO XP '20-24

### DRIVER SIDE

### » 2890263

TRAIL S '21-24, TRAIL '21-24, TURBO S '18-21, XP TURBO '19-21, TURBO S 4 '20-21, XP 1000 '14-23, S 900 '15-20, S 1000 '16-20, 900 '14-20

DOES NOT FIT 4-SEAT MODELS (EXCEPT FOR TURBO S 4) OR HIGHLIFTER MODEL

#### 4-SEAT FRONT

- » = N=W= 2890048 XP 4 '24
- » = N=W = 2890268 PRO R 4 '22-24, TURBO R 4 '22-24, PRO XP 4 '20-24

4-SEAT REAR

XP 4 '24

» = N=N= 2890049

» **■**N**=**N**=** 2890269

PRO XP 4 '20-24

PRO R 4 '22-24, TURBO R 4 '22-24,

#### PASSENGER SIDE

### » 2890264

TRAIL S '21-24, TRAIL '21-24, TURBO S '18-21, XP TURBO '19-21, TURBO S 4 '20-21, XP 1000 '14-23, S 900 '15-20, S 1000 '16-20, 900 '14-20

DOES NOT FIT 4-SEAT MODELS (EXCEPT FOR TURBO S 4) OR HIGHLIFTER MODEL



#### RZR SUB ZERO 4-PT HARNESS TOP SELLER

#### DRIVER SIDE

#### » 2890265

TRAIL S'21-24, TRAIL '21-24, TURBO S'18-21, XP TURBO/4'15-21, XP 1000/4'14-23, TURBO S 4 '19-21, S 900'15-20, S 4 1000'19-20, S 1000'16-20, 900'14-20, PRO XP/4'20-24

#### 2-SEAT

» **=**N=V**=** 2890047

XP '24

### PASSENGER SIDE

### » 2890266

TRAIL S'21-24, TRAIL '21-24, TURBO S'18-21, XP TURBO/4 '15-21, XP 1000/4 '14-23, TURBO S 4 '19-21, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20, PRI XP/A '20-24

#### 4-SEAT

- » N=W FRONT 2890050 XP 4'24
- » N=W REAR 2890051 XP 4 '24

### **MIRRORS**



### **ADJUSTABLE FOLDING SIDE MIRRORS**

- Left and right mirrors included
- Installs in minutes and integrates into a designed mounting position
- · Laminated safety glass for excellent scratch resistance

#### » 2884524

XP/4 '24, TRAIL S '21-24, TRAIL '21-24, TURBO S '18-21, XP TURBO/4 '19-21, XP 1000/4 '14-23, TURBO S 4 '20-21, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

Not compatible with Canvas Doors.



### PREMIUM CONVEX REARVIEW MIRROR TOP SELLER

- Installs in minutes and integrates into a designated mounting position
- · Laminated safety glass for excellent scratch resistance
- »2883763

PRO R/4 '22-24, XP/4 '24, TURBO R/4 '22-24, TRAIL S '21-24, TRAIL '21-24, PRO XP/4 '20-24



CONVEX DESIGN DELIVERS
WIDE REAR VIEW

### REARVIEW MIRROR TOP SELLER

- Works with all roofs, soft tops and windshields
- »2877945

TURBO S '18-21, XP TURBO/4 '15-21, XP 1000/4 '14-23, TURBO S 4 '19-21, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



SCRATCH-RESISTANT GLASS MIRROR LENS

### **CONVEX REARVIEW MIRROR**

#### TOP SELLER

- Bolts into your choice of pre-designated mounting locations on the vehicle frame for easy install
- Convex design provides broad, expanded view of what's behind or alongside the vehicle

#### »2881540

TURBO S '18-21, XP TURBO/4 '15-21, XP 1000/4 '14-23, TURBO S 4 '19-21, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



QUICK GLANCE, WIDE-ANGLE VIEWING FOR MAXIMUM VISIBILITY

### **WIDE-ANGLE REARVIEW MIRROR**

- Stamped steel frame and backing plate with large 6.4 cm x 35.6 cm convex mirror
- Up to 10° of range to adjust for rider height or view preference
- Easy over-structure installation with stamped steel mounts

### »2881199

TURBO S 18-21, XP TURBO/4 15-21, XP 1000/4 14-23, TURBO S 4 19-21, S 900 15-20, S 4 1000 19-20, S 1000 16-20, 900 14-20

### MISC



### **SWITCH PANEL**

- Adds five spaces for rocker switches without blocking storage
- » 2881987

TURBO S 18-21, XP TURBO/4 15-21, XP 1000/4 14-23, TURBO S 4 19-21, S 900 15-20, S 4 1000 19-20, S 1000 16-20, 900 14-20



### DEPENDABLE, TOUGH. **BUILT FOR THE OFF-ROAD.**

A Polaris Engineered winch is designed to help you get the job done right, get you on your way faster and prepare you for the unexpected.

### WHY POLARIS?

Polaris off road vehicles are engineered with designated mounting points and wiring for seamless install of Polaris Engineered winches.



TESTED **1,200+**PULLS AT MAX LOAD



**OPERATES FULLY SUBMERGED** 



**BUILT TO WITHSTAND C** TEMPERATURES



MILITARY
TESTED & APPROVED

### FEATURES & BENEFITS

### ALL POLARIS ENGINEERED WINCHES COME WITH:

- INTEGRATED WIRING, MOUNT, PREASSEMBLED
- **HOOK WITH STRAP**
- **CUT STEEL GEARS & SEALED DRIVETRAIN** 
  - **SEALED PERMANENT MAGNET MOTOR**



Retrieve cable 5x as fast as standard mode on other Polaris winches. Get back to riding or complete your task quicker.

- Set winch dial to N (Neutral) to manually pull the rope out and secure the hook to your anchor point Set winch dial to L (Low) for maximum pulling power
- while winching your load
  Set winch dial to H (High) for retrieving the rope
  5x faster with Rapid Rope Recovery



Auto Stop technology protects and extends the life of your winch by automatically stopping the winch at the end of pull to prevent over-spooling. While plowing, it prevents the plow frame from bending by stopping the winch once the plow has been lifted.



With its lightweight, yet extremely strong, design and superior flexibility, this 15 m long synthetic rope is easy to handle and can stand up to any tough job.



This convenient remote operates your Polaris winch wirelessly from within 15 m of the vehicle. Operate your winch safely outside your vehicle while on the job site or trails

### **UPGRADE YOUR CONTROLS**

### WIRED REMOTE CONTROL

» WIRED REMOTE CONTROL 2889562

Works with 2884835, 2884836

» REMOTE HANDLE 4013466

Works with 2882240 Socket required, sold separately

» SOCKET 4014228

Works with 2882240 Remote handle required, sold separately

### REPLACEMENT PARTS

#### **15 M STEEL CABLE**

1,588 KG SERIES »2878890

#### **15 M SYNTHETIC ROPE**

1,588 KG SERIES

2,041 KG SERIES

» 2878888

»2879187

### MODEL

PROR/4'22-24 TURBO R / 4 '22-24

Includes both wired and wireless remote

XP / 4 '24

Includes wireless remote. Wired remote sold separately

**TRAIL S '21-24** TRAIL '21-24

### PRO XP / 4 '20-24

Includes both wired and wireless remote









PRO HEAVY DUTY SERIES



HD | HEAVY DUTY SERIES







NOT AVAILABLE





### **ADD AUTO STOP UPGRADE**

2881693 Synthetic Rope required











ADD WIRELESS REMOTE 2879316

2,721 kg	2,041 kg	2,041 kg	1,588 kg
2884341	2884340		
	2884836	2884835	
	<b>2885126</b> Requires Winch Cover Kit  2884118		<b>2885127</b> Requires Winch Cover Kit 2884118
2883759	2883758		

# > ADDITIONAL ACCESSORIES



### RZR WHIP FLAG & POLE

- »FLAG & POLE 2881468
- »MOUNT 2877502

ALL MODELS



### PREMIUM FILTER KIT TOP SELLER

- Polaris Ultraweb high performance air filter
- Provides superior engine protection with 99.99% efficiency
- Superior dust-holding capacity
- Lower restriction offers better performance for high horsepower, torque and acceleration



S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

### »2882234

XP/4 '24, TURBO S '18-21, XP TURBO/4 '19-21, TURBO S 4 '20-21, XP 1000/4 '14-23, PRO XP '21-24

### **FIRE EXTINGUISHER MOUNT**

»2881200

ALL MODELS



# > YOUTH 200 EFI



### FULL WINDSHIELD

- Made of durable polycarbonate to protect the cab from debris, dust, rain and wind
- Lock & Ride offers easy, toolless installation
- $\bullet$  Integrates with the roof to prevent rain from entering the cab
- » 2884570

200 EFI '22-24





#### **BUMPERS**

- · Made of durable steel to provide great protection
- Chassis integrated mounting
- Front bumper offers integrated tow hook
- » FRONT 2884577 200 EFI '22-24
- » REAR 2885144

200 EFI '22-24



### **NIEW**

### PRO ARMOR YOUTH SAND 8XT TIRE

- 8 paddles for optimized performance
- Wider rear tires for better traction, grip and flotation on the sand
- » FRONT 24" × 8" R12 5418458
- » REAR 24" × 10" R12 5418459 200 EFI '22-24

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
FRONT	8 <sub>mm</sub>	<b>7.5</b> kgs	4	2	<b>206</b> kgs
REAR	16 <sub>mm</sub>	8.2 kgs	4	2	256 kgs





### HALF WINDSHIELD

- Made of durable polycarbonate to protect the cab from debris, dust, rain and wind
- · Lock & Ride offers easy, toolless installation
- Fully seals at the base for lower protection from the elements, while the open top-half enables airflow
- » 2884571 200 EFI '22-24



### **ROCK SLIDERS**

- Add durable protection from rocks, stumps or other debris with steel rock sliders
- Chassis integrated mounting for easy install
- $\bullet$  Comes with two steel rock sliders
- » 2885146 200 EFI '22-24



### PRO ARMOR YOUTH CRAWLER TIRE

- 25" design provides additional ground clearance
- Improved performance in all types of applications, from rock crawling to desert running
- Double-belted sidewall for additional puncture-resistance
- » FRONT/REAR 25" × 9.5" R12 5417953 200 EFI '22-24

TREAD	TIRE	PLY	SIDEWALL	LOAD
DEPTH	WEIGHT	RATING	BELTS	RATING
13 <sub>mm</sub>	10.5 kgs	6	2	437 kgs



### **POLY REAR PANEL**

- Made of durable .25" polycarbonate, which offers rider protection and visibility
- Installs quickly and easily with P-clamps
- Features scratch-resistant hard coating for enhanced durability
- » 2889777 200 EFI '22-24




### **REAR STORAGE BAG**

- 3 L storage capacity
- Mounts to rear ROPS with a Velcro wrap
- Made to withstand the elements and wear with durable ballistic nylon construction
- » 2885145 200 EFI '22-24



### PRO ARMOR WHEEL & TIRE SET: COMBAT & YOUTH SAND 8XT

- Not compatible with stock lug nuts; Requires metric lug nuts (2877384, 2877385), sold separately
- » FOUR WHEELS & TIRES 2890260 200 EFI '22-24



### **POLY ROOF**

- Durable HDPE material provides protection from the weather
- · 4-bolt installation
- Integrates with full windshield to provide complete cab coverage
- » 2889739 200 EFI '22-24



### PRO ARMOR YOUTH COMBAT WHEEL

- Designed specifically for youth vehicles
- Increased strength and lightweight performance helps overcome obstacles on the trail
- Not compatible with stock lug nuts; Requires metric lug nuts (2877384, 2877385), sold separately
- » FRONT 12" × 7" 1525222 200 EFI '22-24
- » REAR 12" × 7" 1525421 200 EFI '22-24



### PRO ARMOR WHEEL & TIRE SET: COMBAT & YOUTH CRAWLER

- Not compatible with stock lug nuts; Requires metric lug nuts (2877384, 2877385), sold separately
- » FOUR WHEELS & TIRES 2889869 200 EFI '22-24

**SEE P. 95 FOR RIDE COMMAND+** 



# MAKE IT YOUR RZR

### **DUNES**

LIGHTING	P. 88
STORAGE	P. 34
PRO ARMOR WHEELS & TIRES	P. 96
ROOFS	P. 28
DOORS	P. 29

### MUD

PRO ARMOR WHEELS & TIRES	P. 96
WINCHES	P. 61
DOORS	P. 53
ROOFS	P. 52
LIGHTING	P. 92
AUDIO	P. 48
STORAGE / COOLERS	P. 58



### **ROCK**

PRO ARMOR WHEELS & TIRES	P. 96
VEHICLE PROTECTION	P. 30
WINCHES	P. 37
ROOFS	P. 28
STORAGE	P. 34

Warning: Polaris off road vehicles can be hazardous to operate and are not intended for on-road use. Driver must be at least 16 years old with a valid driver's license to operate. All riders should always wear helmets, eye protection and protective clothing and footwear. Read, understand and follow your owner's manual. Ride within the limits of your own abilities and never engage in stunt or exhibition driving. Never ride under the influence of drugs or alcohol. All riders should take a safety training course. Call 800-342-3764 for additional information.

UNLESS NOTED, TRADEMARKS ARE THE PROPERTY OF POLARIS INDUSTRIES INC. 3M° and Thinsulate® are registered trademarks of 3M Company. 509® is a registered trademark of Teton Outfitters, LLC. App Store® is a registered trademark of Apple Inc. Bluetooth® is a registered trademark of Bluetooth Sig. Inc. Callber® is a registered trademark of Fox Factory Inc. Fidlock® is a registered trademark of Fox Factory Inc. Fidlock® is a registered trademark of GOGILE LLC. GoPro® is a registered trademark of Instagrams is a service trademark of GOGILE LLC. GoPro® is a registered trademark of Fox Factory Inc. Fidlock® is a registered trademark of Fox Factory Inc. Fidlock® is a registered trademark of Fox Factory Inc. Fidlock® is a registered trademark of Fox Factory Inc. Fidlock® is a registered trademark of Fox Factory Inc. LIC. MB (LLC. Borro® is a registered trademark of Fox Factory Inc. LIC. MB (LLC. Borro® is a registered trademark of Fox Factory Inc. LIC. MB (LLC. Borro® is a registered trademark of Fox Factory Inc. LIC. MB (LLC. Borro® is a registered trademark of Fox Factory Inc. LIC. MB (LLC. Borro® is a registered trademark of Fox Factory Inc. LIC. MB (LLC. Borro® is a registered trademark of Fox Factory Inc. LIC. MB (LLC. Borro® is a registered trademark of Fox Factory Inc. LIC. MB (LLC. Borro® is a registered trademark of Fox Factory Inc. LIC. Borro® is a registered trademark of Fox Factory Inc. LIC. Borro® is a registered trademark of Sox Fitters, Inc. Borro® is a re



### **P&LARIS**

### Think Outside

Polaris reserves the right to withdraw any product from sale or change specifications and pricing without notice. Confirm model specifications and availability with your Polaris Dealer prior to ordering. The Polaris range is not intended for and may not be registered for on-road use. All photography taken with professional riders and drivers. For your safety, always operate Polaris products as instructed in the product manual and on warning labels. Never carry passengers on any product not designed for such use. Preserve your future riding opportunities by showing respect for the environment, local laws and the rights of others. Avoid excessive speeds and be particularly careful on difficult terrain. Polaris Sales Australia Pty Ltd ABN 62 088 081 949.